# CUMULATIVE AUTHOR INDEX
## *Medical Entomology*
## Volume 46, 2009


A

Abdoulaye, A., 227
Achee, N. L., 1407
Adelman, Z. N., 496
Adongo, E. A., 107
Afify, A., 465
Ahn, Y.-J., 1420
Akoda, K., 1446
Alberti, E., 1320
Alencar, J., 980
Alexander, N., 307
Allan, B. F., 1030
Allan, S. A., 292, 900, 1507
Alves, F. C., 1001
Alzogaray, R. A., 511
Ames, L. M., 15
Amor, S., 1
An, A., 862
Anderson, N. E., 1532
Andrade-Coelho, C. A., 1125
Aragão, T. B., 895
Arlian, L. G., 595, 845
Armbruster, P., 271
Armijos, M. V., 1203
Arnathau, C., 471
Arroyo, J. A., 307
Arunachalam, N., 633
Azaiez, R., 1
Azevedo, D. O., 435
Azizi, K., 1094

B

Babba, H., 1
Bagny, L., 198, 1541
Balasubramanian, A., 633
Baldet, T., 67
Baldridge, G. D., 625
Bandi, K. K., 428
Bangs, M. J., 1407
Bao, Y., 165
Barber, L. M., 693
Barker, C. M., 1290, 1519
Barnard, D., 1235
Barrett, A. D., 1240
Barrett, D. J., 1240
Barrett, J. M., 1240
Bartholomay, L. C., 934, 1282
Bdira, S., 1
Beaty, B. J., 1152, 1245
Beaty, M. K., 1152
Becnel, J. J., 335, 490, 580, 810, 1361
Beier, J. C., 460
Béjaoui, M., 400
Benbow, M. E., 671
Bennett, G. W., 566
Benoit, J. B., 572
Berger, P., 1483
Berkunsky, I., 1195
Bermúdez, S. E., 856
Bertani, R., 58
Berthomieu, A., 523
Berticat, C., 523
Bertolotti, L., 1490
Besteiro, S., 605
Bianchi Galati, E. A., 969
Bicout, D. J., 1269
Biketov, S. F., 1458
Birkett, M. A., 208, 1320
Bisanzio, D., 1490
Bishop, R. P., 888
Black, W. C., IV, 909
Blair, C. D., 1152
Blitvich, B. J., 934, 1282
Bochkov, A. V., 183
Bockarie, M. J., 873
Bolling, B. G., 1290, 1519
Bonnet, J., 516
Borg-Karlson, A.-K., 1415
Botelho, J. R., 1146
Boudabous, R., 1
Boumezzough, A., 1187
Brault, A. C., 1203
Bray, D. P., 428
Brazil, R. P., 428, 969
Brilhante, R.S.N., 895
Brito, E.H.S., 895
Broce, A., 1310
Brogdon, W. G., 321
Broom, A. K., 1167
Brown, C. R., 375, 391
Brown, G. C., 965
Budke, C. M., 1494
Bueno, R., Jr, 1494
Burkhardt, N. Y., 625
Butler, J. F., 1052
Byford, R. L., 1474

C

Cabrera, R. R., 1303
Caccamise, D. F., 1474
Caicedo, J. C., 307
Cardoso, P.J.G., 1514
Carlson, J., 909
Carlson, J. C., 460
Carroll, B. D., 139
Carroll, J. F., 100
Carter, D., 1537
Carvalho, G.M.L., 1159
Casanova, C., 42
Casher, L. E., 1138
Ceballos, L. A., 1195
Chaiwong, T., 986
Chareonviriyaphap, T., 1407
Chaskopoulou, A., 328, 1400
Chaves, L. F., 220
Cheikh, H. B., 523
Cheikh, R. B., 523
Chelbi, I., 400
Chilton, N. B., 475
Christensen, B. S., 572
Christiansen, J. A., 83
Claborn, D. M., 965
Clark, A. G., 175
Clark, G. G., 335, 490, 580, 810, 1361
Clark, S. J., 208
Clay, K., 1468
Coates, C. J., 482
Codeço, C. T., 1001
Cohen, S. B., 862
Coleman, R. E., 649
Cook, J. I., 208
Coombs, G. H., 605
Cooperband, M. F., 292
Coosemans, M., 1446, 1464
Corbel, V., 516
Cordeiro, R. A., 895
Corn, J. L., 1260, 1483
Cornel, A. J., 83
Costa, L. P., 1146
Coto, H. D., 1176
Crabtree, M., 961
Crawford, J., 271
Creamer, R. J., 1474
Cromar, L. M., 1532
Croxall, T. J., 572
Cuba, C.A.C., 952
Cunningham, M. J., 21
Cuño, R., 820
Cupp, E. W., 351
Cupp, M. S., 351
Cury, Y., 58
Cyr, T., 1494

D

Dadour, I. R., 1210
Daher, M.R.M., 712
Daniel, M., 753
Daniels, T. J., 557
Dantas-Torres, F., 712
Dao, A., 227
Dasch, G. A., 856, 942
Dash, A. P., 342
Davey, R. B., 93
Davies, N. W., 1387
Davis, R. S., 693
Day, J. F., 1498

de Almeida Marques, W., 980
Deane, E., 926
De Azevedo, P.R.M., 1450
Debboun, M., 100
De Deken, R., 1446
Degeilh, B., 471
Dekoninck, W., 1464
de La Hoz, F., 307
Delatte, H., 33, 198, 1117, 1541
De Meeûs, T., 471
Denlinger, D. L., 572, 1382
de Paula Júnior, F. J., 841
Derbali, M., 400
Dergousoff, S. J., 475
de Valdez, M. W., 909
Diabate, A., 227
Diallo, M., 227
Dilger, E., 505
Djadid, N. D., 1084
Djikeng, A., 1109
Dobson, S. L., 451
Doganci, L., 367
Dong, Y. D., 539
Dorman, K. S., 934
Dotson, E. M., 796
Dowd, Scot E., 257
Dowd, S. E., 1109
Drebot, M., 640
Duchon, S., 516
Dueñas, J.C.R., 1344
Dujardin, J.-P., 994
Dunphy, B. M., 1282
Dyer, L. A., 460
Dzundza, J., 271

E

Eans, S., 1370
Eddington, D. O., 649
Eisen, L., 737, 1245, 1290, 1519
Eisen, R. J., 737
Elder, B. L., 595
Elissa, N., 198
Endersby, N. M., 1074
Eremeeva, M. E., 856, 942
Erickson, D. L., 1532
Erickson, J. S., 1376
Erwin, R. M., 1392
Espinosa, M. O., 1176
Evans, L., 862
Evans, S., 380

F

Faiman, R., 820
Falcão, A. L., 1159
Falco, R. C., 557
Fang, Y., 139, 1203
Farajollahi, A., 919, 1220
Feaster, J. E., 832
Ferreira, F., 1225
Filho, J.D.A., 969, 1159
Fillinger, U., 546
Flannery, M. E., 183
Florin, D., 965
Fofana, A., 316
Foil, L. D., 257, 1131
Foley, D. H., 680, 717
Fontenille, D., 33, 198, 403, 1541
Förster, M., 1164
Foster, J. P., 832
Foster, W. A., 1327
Fournier, P.-E., 926
Foussadier, R., 1269
Fox, J. D., 640
Frances, S. P., 1442
Francino, O., 615
Frommer, R. L., 1370
Fukutomi, H., 77
Fuqua, C., 1468

G

Gabitzsch, E. S., 1152
Gage, K. L., 173, 737
Galvin, W. A., 1256
Garboui, S. S., 1415
Garcia, S., 139
Gardenal, C. N., 1344
Garelli, F. M., 1176
Garros, C., 1464
Gaspe, M. S., 1176
Gaugler, R., 465, 919
Gavotte, L., 451
George, J. E., 93, 1299
Gerhardt, R. R., 9
Gerry, A. C., 615
Gezan, S. A., 208
Gholizadeh, S., 1084
Gibb, T., 566
Gilles, J., 703
Gimonneau, G., 33
Gindin, G., 531
Ginsberg, H. S., 1392
Glazer, I., 531
Gleiser, R. M., 980
Gonçalves-de-Andrade, R. M., 58
Gontijo, C.M.F., 1159
Gonzalez, M. S., 1125
Gonzalez, Y. I., 832
Gonçalves, T.C.M., 435
Gore, J. C., 420
Gott, K. N., 1240
Gould, F., 409
Gouveia, C., 1125
Gray, E. W., 866, 1537
Green, C., 546
Grieco, J. P., 1407
Grijalva, M. J., 708
Groebner, J. L., 649
Gross, T. L., 496
Gu, W. D., 539
Guernaoui, S., 1187
Guerrero, F. D., 257, 1109
Gunasekaran, K., 1045
Gurevitz, J. M., 1021
Gurgel-Gonçalves, R., 952
Gürtler, R. E., 796, 994, 1021, 1176, 1195
Gutierez, V. P., 58

H

Haddow, A. D., 9
Hadjivassilis, A., 881
Hallahan, D. L., 832
Hamilton, J.G.C., 428
Hamilton, S. W., 131
Hamm, R. L., 169
Hammock, B. D., 83
Hanson, B. A., 1260
Haque, M. A., 342
Hassanali, A., 107
Hastriter, M. W., 716
Haynes, K. F., 51
Hayslette, S. E., 131
He, L., 1424
Healy, S. P., 919
Heukelbach, J., 841
Higley, L. G., 1244
Hinkle, N. C., 15
Ho, K.C.Y., 640
Hochberg, L. P., 649
Hoffmann, A. A., 1074
Hojgaard, A., 1458
Honório, N. A., 1001
Hormazabal, E., 1320
Hoshino, K., 852
Hotta, A., 852
Hovav, E., 934
Howard, A.F.V., 107
Howerth, E. W., 1537
Huang, Y., 409
Huddleston, D. B., 862
Hue, T., 1117
Hung, R. W., 1025
Huntington, T. E., 1244

I

Inceoglu, A. B., 83
Intapan, P. M., 158
Iraola, V., 367
Isawa, H., 852
Ishii, N., 77

J

Jacobson, G. A., 1387
Jambulingam, P., 1045
James-Pirri, M.-J., 1392
Javadian, E., 1094
Jazayeri, H., 1084
Jecna, L., 605
Jerônimo, S.M.B., 1450
Johansen, C. A., 1167
Johnson, P. H., 1074
Jolley, A., 1532
Jones, C. J., 9
Jones, T. F., 862
Jordan, B. E., 131
Jordan, R. A., 1025

Juliano, S. A., 772
Juliusson, L., 380
Just, F. T., 703

K

Kaabi, B., 400
Kamita, S. G., 83
Kaplen, B., 640
Karpathy, S. E., 856
Kasai, S., 77
Kastelic, J. P., 1436
Kato, M. J., 281
Kaufman, P. E., 900, 1052, 1507
Kaur, H., 307
Kelly, R., 1256
Kempf, F., 471
Kengne, P., 403
Kent, R., 380
Keogh, C. L., 220
Kesavaraju, B., 465, 772, 919
Ketchum, H. R., 482
Khayech, F., 1
Kim, H. C., 680
Kim, K. S., 1230
Kim, N.-J., 1420
Kirby, M. J., 505
Kirsch, P., 1062
Kitron, U. D., 220, 796, 994, 1021, 1195, 1256
Kittiyapong, P., 1074
Klein, T. A., 680
Kleker, B., 909
Klimpel, S., 1164
Kline, D. L., 900, 1507
Klowden, M., 408
Klun, J. A., 100
Klyachko, O., 1468
Knowles, D. P., 888
Knutie, S. A., 391
Kobayashi, M., 77, 852
Koehler, P. G., 328, 1015, 1400
Komagata, O., 77
Komar, N., 375, 380, 391
Kothera, L., 236
Kovacic, B., 965
Kristensen, M., 175
Kurahashi, H., 852
Kurtti, T. J., 625

L

Labruna, M. B., 1225, 1303
Lacroix, R., 1117
Lan, Q., 1430
Lane, R. S., 115, 1138
Langevin, S., 1203
Lanzaro, G. C., 316
Lawrence, G. G., 321
Lawyer, P., 965
Lecuona, R. E., 284
Lee, H.-M., 249
Lee, J. S., 649
Lee, P.-Y., 249
Lee, Y., 316
Le Goff, G., 403
Legros, M., 409
Lehmann, T., 227
Leite, A.C.R., 1514
Leite, L.H.R., 1514
Leite, V.H.R., 1514
Leite, Y.L.R., 1146
Lerdthusnee, K., 1442
Li, A., 1382
Li, C. X., 539
Li, T., 1424, 1430
Lima, A.C.V.M.R., 1159
Lin, M., 934
Linardi, P. M., 1146
Lindsay, Steve W., 546
Lindsay, Steven W., 505
Lines, J., 307
Linker, H. M., 420
Linthicum, K. J., 335, 490, 580, 810, 1361, 1442
Liu, N., 175, 1424, 1430
Liu, Z.-G., 165
Livdahl, T., 766
Llinás, G. A., 1344
Lloyd, A. L., 409
Logan, J. G., 208
Lohmeyer, K. H., 1299
Longnecker, M. T., 482
Lorenzo, M. G., 789
Louca, V., 546
Lounibos, L. P., 395
Lourenço-de-Oliveira, R., 1001
Lowenstein, S., 1074
Lucas, M. C., 546
Lulitanond, V., 158
Lutomiah, J., 961
Lyaruu, E. A., 1446
Lysyk, T. J., 358, 1436

M

Ma, H., 165
Macaluso, K. R., 723
Macedo, P. A., 693
Macedo E Silva, V. P., 1450
Machado-Ferreira, E., 369
Macmil, S. L., 257, 1109
Magalhães, M.A.F.M., 1001
Mains, J. W., 451
Majak, W., 358, 1436
Majambere, S., 546
Maleck de Oliveira Cabral, M., 281
Maleewong, W., 158
Mann, R. S., 1052
Manoukis, N. C., 227
Manzoni de Almeida, D., 58
Marcet, P. L., 796
Marchese, M., 557
Marcombe, S., 516
Marcondes, C. B., 980, 1450
Marcotty, T., 1446
Martello, E., 1490
Martin, T., 1269
Martinez, V. M., 139
Martínez-Girón, R., 367
Marzouk, M., 1
Mascari, T. M., 1131
Matsumoto, Y., 1099
McAbee, R. D., 83
McAllister, J. C., 321
McAvin, J. C., 649
McCoy, K. D., 471
McCuiston, L. J., 9
McGaughey, J., 123
Mead, D. G., 866, 1537
Medeiros, A. S., 1450
Medina, M. J., 942
Meneses, C. R., 316
Ment, D., 531
Mercer, D. R., 451
Merritt, R. W., 671
Mertins, J. W., 1260, 1483
Messler, S., 1164
Mezhoud, H., 1
Michael, E., 873
Miller, B., 961
Miller, J. A., 93
Miller, J. L., 557
Miller, J. R., 671
Miller, R. J., 93, 1355
Milne, M. A., 1062
Minter, L., 965
Mohanty, S. S., 342
Mohebali, M., 1094
Moncayo, A. C., 862
Monteiro, A. J., 895
Moore, A. T., 375, 391
Moore, C. G., 1290, 1519
Morales-Malacara, J. B., 442
Morath, S. U., 557
Mordue (Luntz), A. J., 208, 610
Moreira Filho, R. E., 895
Mores, C. N., 395
Morgan, M. S., 595, 845
Morrison, A. C., 1245
Motta, J. A., 856
Mottram, J. C., 605
Moulton, J. K., 9, 649
Mukherjee, S., 862
Mullens, B. A., 615
Müller, G. A., 980
Mullins, J. S., 845
Munderloh, U. G., 625
Murphy, M. D., 866
Murty, U.S.N., 633
Mwaura, S. N., 888
Myles, K. M., 496

N

Nadim, A., 1094
Najar, F., 257, 1109
Nalyanya, G., 420
Nam, V. S., 1074

Narahari, D., 633
Narkowicz, C., 1387
Natal, D., 42
Natsuaki, M., 77
Navarre, C., 351
Nayduch, D., 123
Neeper, L., 909
Nelder, M. P., 919, 1220
Neves, C. A., 435
Nguyen, S., 328
Njie, M., 505
Noblet, R., 866, 1537
Noda, H., 1099
Nogueira, C.D.R., 281
Noireau, F., 796

O

Obenauer, P. J., 900, 1507
Odongo, D. O., 888
Ogrzewalska, M., 1225
O'Guinn, M. L., 649
Okamoto, C. K., 58
Olafson, P. U., 1355
Old, J. M., 926
Oliveira, A. G., 428
Olson, P. E., 942
Omlin, F. X., 107, 460
Onks, K. R., 131
Ouedraogo, T.D.A., 67
Overmyer, J., 866
Oyarzún, M. P., 1320

P

Pabbaraju, K., 640
Pacheco, R. C., 1225
Padgett, K. A., 1138
Padhi, A., 375
Palma, R., 1320
Pålsson, K., 1415
Pamplona de Góes Cavalcanti, L., 841
Panangala, V., 351
Pankiw, T., 782
Pantoja, L.D.M., 895
Panzetta-Dutari, G. M., 1344
Pape, W. J., 1519
Paramasivan, R., 633
Pardo, F., 1320
Paredes-León, R., 442
Pasteur, N., 523
Patterson, E. I., 475
Pauszek, S. J., 866
Pereira, R. M., 328, 1015, 1400
Pérez, L., 307
Perumalsamy, H., 1420
Pesko, K., 395
Petersen, M. J., 1282
Peterson, G. M., 1387
Peterson, R.K.D., 693
Pfeffer, K., 1164
Pfiester, M., 1015
Pfister, K., 703
Phasomkusolsil, S., 1442
Phillips, S. A., 572
Phulsuksombati, D., 1442
Picard, C. J., 664
Piccinali, R. V., 796, 1195
Pickett, J. A., 208
Piertney, S. B., 610
Piesman, J., 369, 1458
Pinger, R. R., 1468
Pinto, I.D.S., 1146
Pinto de Mello, R., 281
Piper, J., 909
Pitzer, J. B., 1474
Plake, E., 909
Platt, K. B., 934
Pontes, R.J.S., 841
Popko, D. A., 1338
Portaro, F.C.V., 58
Posadas, J. B., 284
Potter, M. F., 51
Pound, J. M., 1299
Power, S. L., 1167
Prabaripai, A., 1407
Pradel, I., 703
Pradel, J. A., 1269
Price, D. C., 919
Pridgeon, J. W., 335, 490, 580, 810, 1361
Prieto, G., 307
Putnam, J. L., 649

Q

Quaresma, P. F., 1159
Queiroz, G. P., 58
Quilici, S., 198, 1541
Quinet, Y. P., 895
Quiring, R., 139
Quiroz, A., 1320

R

Rad, S. P., 1084
Rafizadeh, S., 1094
Raghavendra, K., 342
Rainwater Lovett, K., 866
Rajendran, R., 633
Ran, P.-X., 165
Rangel, E. F., 1125
Rapley, L. P., 1074
Rassi, Y., 1094
Ratanatham, S., 1442
Reese, S. M., 1152
Reif, K. E., 723
Reis dos Santos Mallet, J., 435, 980
Reisen, W. K., 139, 173, 1203
Reiskind, M. H., 395, 1037
Reiter, P., 1117
Rey, D., 1269
Ribeiro, C.E.B.P., 712
Ribeiro, J.M.C., 227
Richards, C. M., 236
Richardson, J., 961
Richtzenhain, L. J., 1225
Ritchie, S., 1074
Robinson, J. B., 942
Rocha, M.F.G., 895
Rodriguez, L. L., 866
Rodríguez, M., 307
Roe, B. A., 257, 1109
Roitberg, B. D., 1327
Romero, A., 51
Rosa, D., 557
Ross, E. J., 1062
Rot, A., 531
Rueda, L. M., 680, 717
Rusk, D. T., 1240
Russell, R. C., 1387
Ryan, P. A., 1074

S

Sahabi, S., 557
Sahu, S. S., 1045
Saldivar, L., 257, 1109
Salkeld, D. J., 588
Sames, W. J., 680
Samish, M., 531
Samudio, F., 856
Samuel, P. P., 633
Samuelsen, H., 67
Sang, R., 961
Sanogo, E., 67
Santos, F.A.M., 42
Saraiva, L., 1159
Sarmento, J. S., 980
Sarto i Monteys, V., 615
Sasaki, T., 852
Savage, H. M., 236, 745
Sawabe, K., 852
Schachter-Broide, J., 994
Schaffner, F., 1464
Schal, C., 420
Scharf, M. E., 328, 1400
Schleier, J. J., III, 693
Schloeder, B., 625
Schulze, C. J., 1025
Schulze, T. L., 1025
Schwenkenbecher, J. M., 610
Scialdone, M. A., 832
Scoles, G. A., 625, 888
Scott, J. G., 169, 175
Scott, T. W., 1245
Seal, N. J., 208
Seddighzadeh, A., 1468
Selmi, M., 1490
Serrão, J. E., 435
Sfar, M., 1
Sfara, V., 511
Shaman, J., 1498
Sharma, S. K., 342
Shtannikov, A. V., 1458
Shudo, C., 852
Sidrim, J.J.C., 895
Sievert, K., 1164
Silaghi, C., 703

Silva, V. C., 1125
Skovmand, O., 67
Slowik, T. J., 115
Smartt, C. T., 1370, 1376
Smith, P. F., 1537
Smoliga, G., 866
Snow, L. C., 873
Soares, C.A.G., 369
Soares, F.A.M., 712
Sonenshine, D. E., 1062
Song, F. L., 539
Soto, V., 934
Souza, N. A., 1125
Spafford, H., 1210
Spicer, G. S., 183
Stafford, K. C., III, 557
Staley, M., 934
Stanczyk, N. M., 208
Stapp, P., 588
Steiner, F. E., 1468
Steiner, R. L., 1474
Stekol'nikov, A. A., 753
Stephens, S. L., 1138
Stone, C. M., 1327
Strey, O. F., 482
Suárez-Mutis, M., 307
Suchman, E. L., 909
Sukontason, K., 986
Sukontason, K. L., 986
Sumner, J. W., 942
Sun, Y., 257
Suwonkerd, W., 1407
Svarovska, A., 605
Swanson, K. I., 649
Switek, K., 610

T

Takahashi, R., 139
Talley, J., 1310
Tambourgi, D. V., 58
Tanabayashi, K., 852
Tang, L.-C., 249
Tanskul, P., 1442
Taylor, J., 1392
Taylor, R. M., 1327
Teel, P. D., 482
Temeyer, K. B., 1355
Thanchomnang, T., 158
Thanispong, K., 1407
Thenmozhi, V., 633
Thomas, J., 1387
Thornton, S. A., 942
Tilley, P.A.G., 640
Todd, L., 351
Todd, R. G., 832
Toé, L. P., 67
Tomassone, L., 1490
Tomita, T., 77
Triboire, A., 33
Tsuda, T., 1099
Tsuda, Y., 1230
Tu, W.-C., 249
Tucker, B. J., 934, 1282
Tuininga, A. R., 557
Tyagi, B. K., 633
Tyagi, P. K., 342
Tyler, S., 640

U

Ueti, M. W., 888
Uezu, A., 1225
Upadhyay, A. K., 342

V

Valença, G. C., 712
Valim, M. P., 712
Van Bortel, W., 1464
Van Dam, A. R., 1338
Van Den Abbeele, J., 1446
Van Den Bossche, P., 1446
Vandyke, R., 451
Vann, C. N., 1468
Vasquez, M. I., 881
Vazquez-Prokopec, G. M., 220, 1256
Veira, D. M., 358, 1436
Versteirt, V., 1464
Vetter, R. S., 15
Vidal, J.-O. M., 615
Vilcins, I.-M. E., 926
Villacis, A. G., 708
Vineis, J. H., 321
Violaris, M., 881
Vitek, C. J., 766
Vitta, A.C.R., 789
Volf, P., 605
Voss, S. C., 1210
Vulule, J., 107
Vuong, H. B., 1474

W

Wadhams, L. J., 208
Waite, T. D., 83
Walton, W. E., 1338
Wang, C., 566
Wang, S., 100
Wanjoya, A., 107
Warburg, A., 820
Ward, M. P., 1494
Watcharapichat, P., 1442
Webb, C. E., 1387
Weeks, A. R., 1074
Weill, M., 523
Weinberg, D., 1176
Weissmann, M., 380
Wellington de Oliveira Lima, J., 841
Wells, J. D., 664
Westbrook, C. J., 395
Wheeler, S., 1203
White, S., 271
White, S. L., 1494
White, V. L., 1074
Whitley, E., 351
Wiley, G. B., 257, 1109
Wilkerson, R. C., 680, 717
Williams, G. M., 919
Williams, M. R., 745
Wirth, M. C., 881
Wirtz, R. A., 321
Wong, S., 640
Wright, S., 1203
Wright, S. M., 131
Wund, M. A., 1037

X

Ximenes, M.D.F.F.D.M., 1450
Xu, Q., 1424
Xue, R.-D., 1235

Y

Yamada, A., 852, 1230
Yanase, T., 1099
Yaro, A. S., 227
Yeh, W.-B., 249
Yen, N. T., 1074
Yoder, J. A., 572
Young, G. R., 375
Yue, X., 351

Z

Zahraii, A., 1094
Zaim, M., 516
Zakeri, S., 1084
Zaldivar, Y., 856
Zambrano, M. L., 856
Zanuncio, J. C., 435
Zeidner, N. S., 369, 1458
Zerba, E. N., 511
Zercher, A., 1468
Zhang, A., 100
Zhang, D., 351
Zhang, L., 1424
Zhang, X. L., 539
Zhao, L., 490, 1361
Zhao, T. Y., 539
Zhao, X., 271
Zhioua, E., 400
Zhong, N.-S., 165
Zhou, G., 107
Zhou, L., 321
Zimmerman, E. M., 236
Zurawski, K. N., 671
Zurek, L., 1310

# CUMULATIVE KEY WORD INDEX
## *Medical Entomology*
## Volume 46, 2009


A

abundance, 400, 1269
  *Culex modestus*, 1269
  *Phlebotomus papatasi*, 400
  ponds, 1269
  prevalence, 1269
  sand fly, 400
  screening test, 1269
  spatial distribution, 400
  zoonotic cutaneous leishmaniasis, 400
Acari, 183, 442, 753, 1355
  acaricide resistance, 1355
  acetylcholinesterase, 1355
  cattle fever tick, 1355
  chiggers, 753
  *Hirstiella jimenezi*, 442
  lizard ectoparasites, 442
  Nepal, 753
  organophosphate, 1355
  parasites, 753
  Passeriformes, 183
  *Phyllodactylus bordai*, 442
  Pterygosomatidae, 442
  quill mites, 183
  Syringophilidae, 183
  taxonomy, 753
  *Torotrogla*, 183
acaricide resistance,
  Acari, 1355
  acetylcholinesterase, 1355
  cattle fever tick, 1355
  organophosphate, 1355
acetylcholinesterase,
  Acari, 1355
  acaricide resistance, 1355
  cattle fever tick, 1355
  organophosphate, 1355
adaptive management,
  *Aedes aegypti*, 1245
  continuous improvement cycle, 1245
  dengue, 1245
  proactive control approaches, 1245
*Aedes*,
  *Culex*, 1290
  dispersal, 1290
  *Ochlerotatus*, 1290
  West Nile virus, 1290
*Aedes aegypti*, 100, 198, 409, 490, 496, 580, 810, 841, 909, 1001, 1074, 1117, 1176, 1245, 1344, 1361, 1387, 1407, 1450, 1541
  adaptive management, 1245
  *Aedes albopictus*, 198, 1117, 1450, 1541
  *Aedes lilii*, 198
  *Aedes* Densonucleosis virus, 909
  *Amblyomma americanum*, 100
  *Anopheles stephensi*, 100
  Atlantic Forest, 1450
  biological control, 841
  botanical repellent, 1387
  chlorine, 841
  colonization patterns, 1344
  contact irritancy and noncontact repellency, 1407
  continuous improvement cycle, 1245
  $\alpha$-cypermethrin, 1407
  cytochrome *b*, 1361
  cytochrome c oxidase, 810
  DDT, 1407
  dengue, 841, 1001, 1074, 1245
  dengue transmission risk, 1176
  density dependence, 409
  development, 1361
  dispersal, 1117
  distribution, 1541
  essential oil, 1387
  fipronil, 580, 810
  gene, 580
  gene expression, 490
  gene flow, 1074
  *Haemagogus leucocelaenus*, 1450
  heat shock, 490, 496
  heat shock protein 70, 496
  intraspecific competition, 409
  *Ixodes scapularis*, 100
  *Kunzea ambigua*, 1387
  larval ecology, 198
  mathematical model, 409
  Mayotte, 198
  meteorological variables, 1001
  mitochondrial DNA, 1344
  mosquito, 1387
  *N,N*-diethyl-3-methyl benzamide, 100
  overexpression, 580, 810
  parameter estimation, 409
  passive transportation, 1344
  permethrin, 580, 810, 1361
  population cages, 909
  population dynamics, 1001
  population structure, 1074
  prevention, 841
  proactive control approaches, 1245
  pupal survey, 1176
  quantitative polymerase chain reaction, 1361
  Reunion Island, 1541
  sterile insect technique, 1117
  suppression subtraction hybridization, 490
  survival, 1117
  temephos, 1176
  traps, 1001
  vector control, 1176
  virus dispersal, 909
  virus propagation, 909
  yellow fever, 1450
*Aedes albopictus*, 9, 33, 198, 271, 465, 766, 772, 1117, 1450, 1507, 1541
  *Aedes aegypti*, 198, 1117, 1450, 1541
  *Aedes lilii*, 198
  *Aedes triseriatus*, 772, 1507
  antipredatory behavior, 772
  arbovirus, 33
  Atlantic Forest, 1450
  biology, 33
  chikungunya epidemic, 33
  controlled selection, 772
  *Corethrella appendiculata*, 772
  demographic parameters, 33
  detritus, 465
  dispersal, 1117
  distribution, 1541
  drought, 766
  egg, 9
  *Haemagogus leucocelaenus*, 1450
  hatch delay, 766
  hatch rate, 766
  La Crosse virus, 9
  larval ecology, 198
  Mayotte, 198
  molecular evolution, 271
  *Ochlerotatus japonicus japonicus*, 9
  *Ochlerotatus triseriatus*, 9
  odorant-binding protein, 271
  olfaction, 271

*Orthopodomyia signifera*, 1507
persimmon, 465
phenotypic plasticity, 766
Reunion Island, 1541
sterile insect technique, 1117
surveillance, 1507
survival, 1117
traps, 1507
yellow fever, 1450
*Aedes camptorhynchus*,
arbovirus ecology, 1167
*Culex annulirostris*, 1167
*Culex pullus*, 1167
mosquito bloodmeal identification, 1167
*Aedes j. japonicus*,
Belgium, 1464
*Culex h. hortensis*, 1464
establishment, 1464
exotic species, 1464
*Aedes lilii*,
*Aedes aegypti*, 198
*Aedes albopictus*, 198
larval ecology, 198
Mayotte, 198
*Aedes triseriatus*, 772, 1152
*Aedes albopictus*, 772
antipredatory behavior, 772
controlled selection, 772
*Corethrella appendiculata*, 772
insemination rates, 1152
La Crosse virus, 1152
mating efficiency, 1152
*Aedes* Densonucleosis virus,
*Aedes aegypti*, 909
population cages, 909
virus dispersal, 909
virus propagation, 909
*Aedes* (*Finlaya*) *japonicus japonicus*,
*Aedes* (*Finlaya*) *japonicus japonicus*, 1282
DNA barcode, 1282
Iowa, 1282
La Crosse virus, 1282
West Nile virus, 1282
*Aedes triseriatus*,
*Aedes albopictus*, 1507
*Orthopodomyia signifera*, 1507
surveillance, 1507
traps, 1507
Aedini,
Culicidae, 980
egg, 980
*Ochlerotatus albifasciatus*, 980
scanning electron microscopy, 980
AeSCP-2 inhibitor,
cross-resistance, 1430
*Culex quinquefasciatus*, 1430
insecticide resistance, 1430
Africa,
*Anopheles gambiae*, 316
desiccation resistance, 316
drought tolerance, 316
Mali, 316
aggregation,
bed bug, 1015
*Cimex lectularius*, 1015
dispersal, 1015
Alabama,
*Culex quinquefasciatus*, 1424
*Kdr* mutation, 1424
permethrin resistance, 1424
alarm pheromone,
bed bug control, 572
*Cimex lectularius*, 572
desiccation, 572
alimentary canal,
bacteria, 123
*Musca domestica*, 123
peritrophic matrix, 123
vector potential, 123
alphavirus, 640, 862, 961
arbovirus, 640, 961
bunyavirus, 640, 961
*Culex* (*Melanoconion*) *erraticus*, 862
eastern equine encephalomyelitis, 862
flavivirus, 640, 961
Kamiti River virus, 640
Kenya, 961
mosquito, 862
Trinidad trap, 862
amber,
fossil, 969
*Micropygomyia dorafeliciangeliae* nov. sp., 969
Phlebotominae, 969
*Pintomyia dominicana* nov. sp., 969
*Amblyomma americanum*, 100, 1030, 1240, 1468
*Aedes aegypti*, 100
*Anopheles stephensi*, 100
*Ehrlichia chaffeensis* strains, 1468
*Ixodes scapularis*, 100
lone star tick, 1030, 1240
nested polymerase chain reaction (PCR), 1468
*N,N*-diethyl-3-methyl benzamide, 100
prescribed fire, 1030
sequencing, 1468
tick elimination, 1240
tick-borne disease, 1240
variable-length PCR target, 1468
white-tailed deer, 1030
*Amblyomma cajennense*,
Brazil, 1303
diapause, 1303
Ixodidae, 1303
tick, 1303
*Amblyomma fimbriatum*,
*Francisella*, 926
reptile, 926
*Rickettsia*, 926
tick, 926
*Amblyomma maculatum*,
Gulf Coast tick, 482
mitochondrial 16s rDNA, 482
population genetics, 482
single-strand conformation polymorphism, 482
*Amblyomma* ticks,
Atlantic rain forest, 1225
birds, 1225
*Amblyomma variegatum*, 942, 1260, 1483
cattle egret, 1260
chiggers, 1260
*Dermatophilus congolensis*, 942
ectoparasites, 1483
*Ehrlichia ruminantium*, 942
*Longisetacarus* gen. nov., 1260
*Rhipicephalus* (*Boophilus*) *microplus*, 942
*Rickettsia africae*, 942
St. Croix, 1483
*Whartonacarus floridensis* sp. nov., 1260
wildlife, 1483
American robin,
blood-feeding behavior, 380
*Culex tarsalis*, 380
forage ratio, 380
West Nile virus, 380
American visceral leishmaniasis,
(*S*)-9-methylgermacrene-B, 428
sand flies, 428
vector control, 428
amplification,
arboviruses, 1498
epidemics, 1498
St. Louis encephalitis virus, 1498
winter freeze, 1498
*Anaplasma*,
*Francisella*-like, 625
Ixodid tick, 625
transovarial transmission, 625
Anaplasmataceae,
Panama, 856
spotted fever group rickettsiae, 856
ticks, 856
*Anopheles culicifacies*,
Anopheles fluviatilis, 342
field evaluation, 342

long-lasting insecticidal net, 342
Olyset net, 342
*Anopheles fluviatilis*, 342, 1045
*Anopheles culicifacies*, 342
*Anopheles minimus*, 1045
field evaluation, 342
host feeding, 1045
India, 1045
long-lasting insecticidal net, 342
Olyset net, 342
Singhbhum hills, 1045
*Anopheles gambiae*, 107, 227, 316, 460, 516, 546
Africa, 316
desiccation resistance, 316
diversity, 460
drought tolerance, 316
fish, 546
indoor residual spraying, 516
inseticide-treated nets, 516
Kenya, 460
larval control, 107
limonoids, 107
malaria, 107, 460
Mali, 316
mate recognition, 227
mosquitoes, 546
Neem, 107
oviposition, 546
predation, 546
pyrethroid resistance, 516
pyrethrum, 516
stereoscopic image analysis, 227
swarm, 227
three-dimensional localization, 227
trophic cascades, 460
*Anopheles gambiae* s.l.,
eaves, 505
house entry, 505
house screening, 505
*Anopheles* Hyrcanus Group,
internal transcribed spacer 2, 1084
Iran, 1084
*Plasmodium* infection, 1084
voltage-gated sodium channel (*vgsc*) gene, 1084
*Anopheles minimus*,
*Anopheles fluviatilis*, 1045
host feeding, 1045
India, 1045
Singhbhum hills, 1045
*Anopheles nyssorhynchus* spp.,
malaria vectors, 307
mosquito abundance, 307
mosquito nets, 307
*Anopheles stephensi*,
*Aedes aegypti*, 100
*Amblyomma americanum*, 100
*Ixodes scapularis*, 100
*N,N*-diethyl-3-methyl benzamide, 100
antipredatory behavior,
*Aedes albopictus*, 772
*Aedes triseriatus*, 772
controlled selection, 772
*Corethrella appendiculata*, 772
ants,
fungi, 895
hospital environment, 895
*Pheidole*, 895
*Tapinoma*, 895
apartments,
*Cimex lectularius*, 566
control, 566
integrated pest management, 566
*Apis mellifera*,
defensive response, 782
honey bee, 782
methyl anthranilate, 782
Arachnida, 15, 1299
brown recluse spider, 15
distribution, 15
ecdysis, 1299
Gulf Coast tick, 1299
*Loxosceles reclusa*, 15
overdiagnosis, 15
arbovirus, 33, 395, 640, 919, 961, 1494, 1498
*Aedes albopictus*, 33
alphavirus, 640, 961
amplification, 1498
Asian tiger mosquito, 919
biology, 33
blood feeding, 395
bunyavirus, 640, 961
CDC light trap, 919
chikungunya epidemic, 33
demographic parameters, 33
epidemics, 1498
flavivirus, 640, 961
gravid trap, 919
Kamiti River virus, 640
Kenya, 961
mosquito surveillance, 919
mosquitoes, 1494
St. Louis encephalitis virus, 1498
statistical analysis, 1494
surveillance, 1494
Texas, 1494
vector competence, 395
vectorial capacity, 395
viremia, 395
winter freeze, 1498
arbovirus ecology,
*Aedes camptorhynchus*, 1167
*Culex annulirostris*, 1167
*Culex pullus*, 1167
mosquito bloodmeal identification, 1167
*Archaeopsylla erinacei*,
*Erinaceus europaeus*, 703
Germany, 703
polymerase chain reaction, 703
*Rickettsia felis*, 703
*Asarum heterotropoides*,
botanical insecticide, 1420
essential oil, 1420
mosquito, 1420
natural larvicide, 1420
Asian tiger mosquito, 919, 1220, 1235
arbovirus, 919
CDC light trap, 919
distribution, 1220
fecundity, 1235
geographical information system, 1220
gravid trap, 919
invasion biology, 1220
mosquito surveillance, 919
multiple bloodmeals, 1235
ovarian development, 1235
partial bloodmeals, 1235
West Nile virus, 1220
assortative mating,
genetic structure, 471
host-associated divergence, 471
vector-borne disease, 471
Atlantic Forest,
*Aedes aegypti*, 1450
*Aedes albopictus*, 1450
*Haemagogus leucocelaenus*, 1450
yellow fever, 1450
Atlantic rain forest,
*Amblyomma* ticks, 1225
birds, 1225
attack rate,
blue tongue, 615
*Culicoides*, 615
sheep, 615
Spain, 615
avian malaria,
coastal area in Japan, 1230
feeding pattern, 1230
migratory birds, 1230
mosquito fauna, 1230
*Azadirachta indica*,
ecdysis, 1125
*Lutzomyia longipalpis*, 1125
*Melia azedarach*, 1125
metamorphosis, 1125

B
*Bacillus sphaericus*,
*Culex quinquefasciatus*, 67
larvicide, 67
mosquito control, 67
*Bacillus thuringiensis* subsp. *israelensis*,
*Culex pipiens*, 881
methoprene, 881
organophosphate resistance, 881
bacteria,
alimentary canal, 123
*Musca domestica*, 123
peritrophic matrix, 123
vector potential, 123
barrier,
contact irritant, 292
excitation, 292
insect behavior, 292
sublethal effects of insecticide, 292
bat,
ectoparasite, 712
northeast Brazil, 712
Spelaeorhynchidae, 712
Spinturnicidae, 712
*Beauveria bassiana*,
microbial control, 284
*Rhipicephalus* (*Boophilus*) *microplus*, 284
bed bug,
aggregation, 1015
*Cimex lectularius*, 1015
dispersal, 1015
bed bug control,
alarm pheromone, 572
*Cimex lectularius*, 572
desiccation, 572
behavioral responses,
*Cimex lectularius*, 51
insecticide avoidance, 51
locomotor activity, 51
Belgium,
*Aedes j. japonicus*, 1464
*Culex h. hortensis*, 1464
establishment, 1464
exotic species, 1464
biological control, 557, 841, 1210
*Aedes aegypti*, 841
blacklegged tick, 557
chlorine, 841
dengue, 841
entomopathogen, 557
forensic entomology, 1210
fungi, 557
*Ixodes scapularis*, 557
*Nasonia vitripennis*, 1210
parasitoids, 1210
prevention, 841
*Tachinaephagus zealandicus*, 1210
biology,
*Aedes albopictus*, 33
arbovirus, 33
chikungunya epidemic, 33
demographic parameters, 33
biomarker,
feed-through, 1131
*Phlebotomus papatasi*, 1131
rhodamine B, 1131
sand fly, 1131
birds,
*Amblyomma* ticks, 1225
Atlantic rain forest, 1225
Bla g 1,
cockroach allergen, 420
cockroaches, 420
integrated pest management, 420
schools, 420
black fly, 866, 1537
mechanical transmission, 1537
pathogenesis, 866
*Simulium*, 1537
vesicular stomatitis virus, 866, 1537
blacklegged tick,
biological control, 557
entomopathogen, 557
fungi, 557
*Ixodes scapularis*, 557
blood digestion,
perimicrovillar membranes, 435
spherocrystals, 435
Triatominae, 435
blood feeding,
arbovirus, 395
vector competence, 395
vectorial capacity, 395
viremia, 395
blood uptake,
fly gender, 351
horn fly, 351
rabbit, 351
thrombostasin, 351
blood-feeding behavior,
American robin, 380
*Culex tarsalis*, 380
forage ratio, 380
West Nile virus, 380
blow fly, 664, 852
*Calliphora nigribarbis*, 852
forensic entomology, 664
genetic assignment, 664
genotype, 664
highly pathogenic H5N1 avian influenza, 852
inbreeding, 664
mechanical transmission, 852
virus exposure experiments, 852
blue tongue,
attack rate, 615
*Culicoides*, 615
sheep, 615
Spain, 615
Bluetongue vector,
*Culicoides*, 610
larvae, 610
multiplex polymerase chain reaction, 610
*Borrelia burgdorferi*,
*Borrelia lonestari*, 131
Lyme disease, 131
waterfowl, 131
wild turkeys, 131
*Borrelia lonestari*,
*Borrelia burgdorferi*, 131
Lyme disease, 131
waterfowl, 131
wild turkeys, 131
botanical insecticide,
*Asarum heterotropoides*, 1420
essential oil, 1420
mosquito, 1420
natural larvicide, 1420
botanical repellent,
*Aedes aegypti*, 1387
essential oil, 1387
*Kunzea ambigua*, 1387
mosquito, 1387
Brazil,
*Amblyomma cajennense*, 1303
diapause, 1303
Ixodidae, 1303
tick, 1303
brown recluse spider,
Arachnida, 15
distribution, 15
*Loxosceles reclusa*, 15
overdiagnosis, 15
*Brugia malayi*,
detection, 158
mosquitoes, 158
real-time fluorescence resonance energy transfer multiplex polymerase chain reaction, 158
*Wuchereria bancrofti*, 158
Buggy Creek virus, 375, 391
cliff swallow, 375, 391
*Oeciacus vicarius*, 391
Petrochelidon pyrrhonota, 375, 391
swallow bug, 375, 391
vertical transmission, 375
bunyavirus, 640, 961
alphavirus, 640, 961
arbovirus, 640, 961
flavivirus, 640, 961
Kamiti River virus, 640
Kenya, 961

butyl formate,
formate ester, 328
heterobicyclic, 328
menthofuran, 328
mosquito, 328

C

Caatinga,
Cerrado, 952
genetic algorithm for rule-set production, 952
geographical distribution, 952
*Rhodnius neglectus*, 952
California, 115, 1203
cliff swallows, 1203
*Dermacentor*, 115
host preference, 115
house sparrows, 1203
*Ixodes*, 115
Stone Lakes virus, 1203
swallow bugs, 1203
tick–host interactions, 115
*Calliphora nigribarbis*,
blow fly, 852
highly pathogenic H5N1 avian influenza, 852
mechanical transmission, 852
virus exposure experiments, 852
*Campylobacter jejuni*,
*Musca domestica*, 1164
pathogenic bacteria, 1164
pathogenic fungi, 1164
synanthropic flies, 1164
carrying capacity,
*Dermatophagoides pteronyssinus*, 21
dust mites, 21
population dynamics, 21
transition matrix, 21
cat flea,
*Ctenocephalides felis*, 723
review, 723
*Rickettsia felis*, 723
catnip,
iridoid, 832
*Nepeta cataria*, 832
nepetalactone, 832
repellent, 832
cattle,
*Dermacentor andersoni*, 358
immunity, 358
Rocky Mountain wood tick, 358
tick paralysis, 358
cattle egret,
*Amblyomma variegatum*, 1260
chiggers, 1260
*Longisetacarus* gen. nov., 1260
*Whartonacarus floridensis* sp. nov., 1260
cattle fever tick,
Acari, 1355
acaricide resistance, 1355
acetylcholinesterase, 1355
organophosphate, 1355
CDC light trap,
arbovirus, 919
Asian tiger mosquito, 919
gravid trap, 919
mosquito surveillance, 919
central Tunisia,
Phlebotominae, 1
species distribution, 1
Cerrado,
Caatinga, 952
genetic algorithm for rule-set production, 952
geographical distribution, 952
*Rhodnius neglectus*, 952
Chagas disease, 708, 789, 1021, 1195
dispersal polymorphism, 1021
Ecuador, 708
flight muscle development, 1021
mate guarding, 789
mating behavior, 789
parrots, 1195
polyandry, 789
reinfestation, 1195
*Rhodnius ecuadoriensis*, 708
*Sciurus stramineus*, 708
sexual maturation, 789
*Triatoma infestans*, 1195
Triatominae, 1021
vector control, 1195
chaparral,
*Dermacentor occidentalis*, 1138
fire ecology, 1138
*Ixodes pacificus*, 1138
tick control, 1138
chemical ecology,
*Culicoides*, 208
midge, 208
repellent, 208
semiochemical, 208
chemokine,
cytokine, 595
endotoxin, 595
lipopolysaccharide, 595
mite, 595
chiggers, 753, 1260, 1442
Acari, 753
*Amblyomma variegatum*, 1260
cattle egret, 1260
*Leptotrombidium chiangraiensis*, 1442
*Leptotrombidium imphalum*, 1442
*Longisetacarus* gen. nov., 1260
Nepal, 753
*Orientia tsutsugamushi*, 1442
parasites, 753
taxonomy, 753
transmission, 1442
*Whartonacarus floridensis* sp. nov., 1260
chikungunya epidemic,
*Aedes albopictus*, 33
arbovirus, 33
biology, 33
demographic parameters, 33
chlorine,
*Aedes aegypti*, 841
biological control, 841
dengue, 841
prevention, 841
*Chrysomya megacephala*,
Diptera, 281
grandisin, 281
lignan, 281
postembryonic development, 281
cibarial armature,
*Culex* (*Melanoconion*), 745
mosquito identification, 745
*Cimex lectularius*, 51, 566, 572, 1015
aggregation, 1015
alarm pheromone, 572
apartments, 566
bed bug, 1015
bed bug control, 572
behavioral responses, 51
control, 566
desiccation, 572
dispersal, 1015
insecticide avoidance, 51
integrated pest management, 566
locomotor activity, 51
cliff swallow, 375, 391, 1203
Buggy Creek virus, 375, 391
California, 1203
house sparrows, 1203
*Oeciacus vicarius*, 391
*Petrochelidon pyrrhonota*, 375, 391
Stone Lakes virus, 1203
swallow bug, 375, 391, 1203
vertical transmission, 375
climate,
enzootic plague reservoir, 588
Siphonaptera, 588
$CO_2$,
Hemiptera, 1062
kissing bug, 1062
olfactometer, 1062
Triatomine, 1062
coastal area in Japan,
avian malaria, 1230
feeding pattern, 1230
migratory birds, 1230
mosquito fauna, 1230

*Cochliomyia hominivorax*,
expressed sequence tags, 1109
gene ontology terms, 1109
454 pyrosequencing, 1109
sex-lethal, 1109
cockroach allergen,
Bla g 1, 420
cockroaches, 420
integrated pest management, 420
schools, 420
cockroaches,
Bla g 1, 420
cockroach allergen, 420
integrated pest management, 420
schools, 420
colonization patterns,
*Aedes aegypti*, 1344
mitochondrial DNA, 1344
passive transportation, 1344
Colorado,
*Culex pipiens*, 1519
*Culex tarsalis*, 1519
seasonal risk, 1519
West Nile virus, 1519
comparative genomics,
genome sequencing, 175
insect immunity, 175
insecticide resistance, 175
sex determination, 175
complement system,
*Ctenus medius*, 58
*Phoneutria nigriventer*, 58
proinflammatory activities, 58
spider venoms, 58
contact irritancy and noncontact repellency,
*Aedes aegypti*, 1407
α-cypermethrin, 1407
DDT, 1407
contact irritant,
barrier, 292
excitation, 292
insect behavior, 292
sublethal effects of insecticide, 292
continuous improvement cycle,
adaptive management, 1245
*Aedes aegypti*, 1245
dengue, 1245
proactive control approaches, 1245
control, 93, 566
apartments, 566
*Cimex lectularius*, 566
coumaphos, 93
integrated pest management, 566
rainfall exposure, 93
*Rhipicephalus* (*Boophilus*) *microplus*, 93
controlled selection,
*Aedes albopictus*, 772
*Aedes triseriatus*, 772
antipredatory behavior, 772
*Corethrella appendiculata*, 772
*Corethrella appendiculata*,
*Aedes albopictus*, 772
*Aedes triseriatus*, 772
antipredatory behavior, 772
controlled selection, 772
coumaphos,
control, 93
rainfall exposure, 93
*Rhipicephalus* (*Boophilus*) *microplus*, 93
cross-resistance,
AeSCP-2 inhibitor, 1430
*Culex quinquefasciatus*, 1430
insecticide resistance, 1430
*Ctenocephalides felis*,
cat flea, 723
review, 723
*Rickettsia felis*, 723
Ctenophthalmidae,
fleas, 1146
Mammalia, 1146
Pulicidae, 1146
Rhopalopsyllidae, 1146
*Ctenus medius*,
complement system, 58
*Phoneutria nigriventer*, 58
proinflammatory activities, 58
spider venoms, 58
*Culex*, 321, 1290
*Aedes*, 1290
dispersal, 1290
insecticide resistance, 321
*Ochlerotatus*, 1290
West Nile virus, 321, 1290
*Culex annulirostris*,
*Aedes camptorhynchus*, 1167
arbovirus ecology, 1167
*Culex pullus*, 1167
mosquito bloodmeal identification, 1167
Culex flavivirus,
Flavivirus, 934
insect, 934
mosquito, 934
surveillance, 934
*Culex gelidus*,
*Culex tritaeniorhynchus*, 633
Japanese encephalitis, 633
Kurnool, 633
south India, 633
*Culex h. hortensis*,
*Aedes j. japonicus*, 1464
Belgium, 1464
establishment, 1464
exotic species, 1464
*Culex* (*Melanoconion*),
cibarial armature, 745
*Culex* (*Melanoconion*), 745
mosquito identification, 745
*Culex* (*Melanoconion*) *erraticus*,
alphavirus, 862
*Culex* (*Melanoconion*) *erraticus*, 862
eastern equine encephalomyelitis, 862
mosquito, 862
Trinidad trap, 862
*Culex modestus*,
abundance, 1269
ponds, 1269
prevalence, 1269
screening test, 1269
*Culex nigripalpus*, 1370, 1376
esterase, 1370
gene expression, 1370, 1376
odorant-binding protein, 1376
*Culex pipiens*, 523, 881, 1382, 1519
*Bacillus thuringiensis* subsp. *israelensis*, 881
Colorado, 1519
*Culex tarsalis*, 1519
diapause, 1382
insensitive acetylcholinesterases, 523
methoprene, 881
organophosphate resistance, 881
organophosphorous insecticides, 523
overproduced esterases, 523
PCP, 1382
proteomics, 1382
seasonal risk, 1519
West Nile virus, 1519
*Culex pipiens* complex, 83, 236
*Culex quinquefasciatus*, 236
cytochrome P450, 83
hybridization, 236
luminescent assay, 83
microsatellites, 236
mosquito, 83
pyrethroid resistance, 83
transect, 236
*Culex pipiens pallens*,
esterase, 539
insecticide, 539
quantitative polymerase chain reaction, 539
*Culex pullus*,
*Aedes camptorhynchus*, 1167
arbovirus ecology, 1167
*Culex annulirostris*, 1167
mosquito bloodmeal identification, 1167

*Culex quinquefasciatus*, 67, 139, 236, 1424, 1430
AeSCP-2 inhibitor, 1430
Alabama, 1424
*Bacillus sphaericus*, 67
cross-resistance, 1430
*Culex pipiens* complex, 236
*Culex tarsalis*, 139
epidemiology, 139
hybridization, 236
insecticide resistance, 1430
*Kdr* mutation, 1424
larvicide, 67
microsatellites, 236
mosquito control, 67
permethrin resistance, 1424
transect, 236
West Nile virus, 139
western equine encephalomyelitis virus, 139
*Culex tarsalis*, 139, 380, 1474, 1519
American robin, 380
blood-feeding behavior, 380
Colorado, 1519
*Culex pipiens*, 1519
*Culex quinquefasciatus*, 139
Culicidae, 1474
epidemiology, 139
forage ratio, 380
mosquito, 1474
seasonal distribution, 1474
seasonal risk, 1519
sentinel chicken, 1474
West Nile virus, 139, 380, 1519
western equine encephalomyelitis virus, 139
*Culex tritaeniorhynchus*,
*Culex gelidus*, 633
Japanese encephalitis, 633
Kurnool, 633
south India, 633
Culicidae, 403, 980, 1474
Aedini, 980
*Culex tarsalis*, 1474
egg, 980
ITS2 sequence, 403
Madagascar, 403
mosquito, 1474
*Neomelaniconion*, 403
*Ochlerotatus albifasciatus*, 980
scanning electron microscopy, 980
seasonal distribution, 1474
sentinel chicken, 1474
taxonomy, 403
*Culicoides*, 208, 610, 615, 1099
attack rate, 615
blue tongue, 615
Bluetongue vector, 610
chemical ecology, 208
indel region, 1099
internal transcribed spacer, 1099
larvae, 610
midge, 208
multiplex polymerase chain reaction, 610
repellent, 208
rRNA, 1099
semiochemical, 208
sheep, 615
Spain, 615
species identification, 1099
α-cypermethrin,
*Aedes aegypti*, 1407
contact irritancy and noncontact repellency, 1407
DDT, 1407
cysteine peptidase,
*Leishmania*, 605
*Phlebotomus*, 605
sand fly, 605
cytochrome *b*,
*Aedes aegypti*, 1361
development, 1361
permethrin, 1361
quantitative polymerase chain reaction, 1361
cytochrome c oxidase,
*Aedes aegypti*, 810
fipronil, 810
overexpression, 810
permethrin, 810
*cytochrome oxidase I*,
population admixture, 796
population expansion, 796
population structure, 796
*Triatoma infestans*, 796
cytochrome oxidase II,
*Forcipomyia taiwana*, 249
genetic diversity, 249
cytochrome P450,
*Culex pipiens* complex, 83
luminescent assay, 83
mosquito, 83
pyrethroid resistance, 83
cytokine, 595, 845
chemokine, 595
endotoxin, 595
fibroblasts, 845
immunomodulation, 845
keratinocytes, 845
lipopolysaccharide, 595
mite, 595
scabies, 845
cytoplasmic incompatibility,
endosymbiont, 451
intraspecific competition, 451
larval development, 451
parasitic effects, 451

**D**

database,
distribution, 717
georeferencing, 717
GIS, 717
Mosquitomap, 717
DDT,
*Aedes aegypti*, 1407
contact irritancy and noncontact repellency, 1407
α-cypermethrin, 1407
defensive response,
*Apis mellifera*, 782
honey bee, 782
methyl anthranilate, 782
demographic parameters,
*Aedes albopictus*, 33
arbovirus, 33
biology, 33
chikungunya epidemic, 33
dengue, 841, 1001, 1074, 1245
adaptive management, 1245
*Aedes aegypti*, 841, 1001, 1074, 1245
biological control, 841
chlorine, 841
continuous improvement cycle, 1245
gene flow, 1074
meteorological variables, 1001
population dynamics, 1001
population structure, 1074
prevention, 841
proactive control approaches, 1245
traps, 1001
dengue transmission risk,
*Aedes aegypti*, 1176
pupal survey, 1176
temephos, 1176
vector control, 1176
density dependence,
*Aedes aegypti*, 409
intraspecific competition, 409
mathematical model, 409
parameter estimation, 409
*Dermacentor*,
California, 115
host preference, 115
*Ixodes*, 115
tick–host interactions, 115
*Dermacentor andersoni*, 358, 475, 1436
16S mtDNA, 475
cattle, 358
genetic variation, 475
immunity, 358, 1436
Rocky Mountain wood tick, 358, 475, 1436
sheep, 1436

single-strand conformation polymorphism, 475
tick paralysis, 358, 1436
*Dermacentor marginatus*,
*Rickettsia raoultii*, 1490
*Rickettsia slovaca*, 1490
wild boars, 1490
*Dermacentor occidentalis*,
chaparral, 1138
fire ecology, 1138
*Ixodes pacificus*, 1138
tick control, 1138
*Dermatobia hominis*,
eosinophil, 1514
lymphadenopathy, 1514
mast cell, 1514
myiasis, 1514
Dermatophagoides,
Gregarines, 367
light microscopy, 367
*Dermatophagoides pteronyssinus*,
carrying capacity, 21
dust mites, 21
population dynamics, 21
transition matrix, 21
*Dermatophilus congolensis*,
*Amblyomma variegatum*, 942
*Ehrlichia ruminantium*, 942
*Rhipicephalus (Boophilus) microplus*, 942
*Rickettsia africae*, 942
desiccation,
alarm pheromone, 572
bed bug control, 572
*Cimex lectularius*, 572
desiccation resistance,
Africa, 316
*Anopheles gambiae*, 316
drought tolerance, 316
Mali, 316
detection, 158, 649
*Brugia malayi*, 158
Iraq, 649
*Leishmania*, 649
mosquitoes, 158
polymerase chain reaction, 649
real-time fluorescence resonance energy transfer multiplex polymerase chain reaction, 158
Sand flies, 649
*Wuchereria bancrofti*, 158
detritus,
*Aedes albopictus*, 465
persimmon, 465
development,
*Aedes aegypti*, 1361
cytochrome *b*, 1361
permethrin, 1361
quantitative polymerase chain reaction, 1361
diapause, 1303, 1382
*Amblyomma cajennense*, 1303
Brazil, 1303
*Culex pipiens*, 1382
Ixodidae, 1303
PCP, 1382
proteomics, 1382
tick, 1303
dichlorvos,
ethylene glycol di-formate, 1400
heptyl formate, 1400
house fly, 1400
menthofuran, 1400
digestive system,
morphology, 165
*Periplaneta americana*, 165
three-dimensional reconstruction, 165
Diptera,
*Chrysomya megacephala*, 281
grandisin, 281
lignan, 281
postembryonic development, 281
dispersal, 994, 1015, 1117, 1290
*Aedes aegypti*, 1117
*Aedes albopictus*, 1117
*Aedes*, 1290
aggregation, 1015
bed bug, 1015
*Cimex lectularius*, 1015
*Culex*, 1290
geometric morphometry, 994
*Ochlerotatus*, 1290
seasonal variations, 994
size, 994
sterile insect technique, 1117
survival, 1117
*Triatoma infestans*, 994
West Nile virus, 1290
dispersal polymorphism,
Chagas disease, 1021
flight muscle development, 1021
Triatominae, 1021
distribution, 15, 680, 717, 1220, 1541
*Aedes aegypti*, 1541
*Aedes albopictus*, 1541
Arachnida, 15
Asian tiger mosquito, 1220
brown recluse spider, 15
database, 717
ecological niche modeling, 680
ecology, 680
geographical information system, 1220
georeferencing, 717
GIS, 717
invasion biology, 1220
Korea, 680
*Loxosceles reclusa*, 15
malaria, 680
Mosquitomap, 717
overdiagnosis, 15
Reunion Island, 1541
West Nile virus, 1220
diversity,
*Anopheles gambiae*, 460
Kenya, 460
malaria, 460
trophic cascades, 460
DNA barcode,
*Aedes (Finlaya) japonicus japonicus*, 1282
Iowa, 1282
La Crosse virus, 1282
West Nile virus, 1282
drought,
*Aedes albopictus*, 766
hatch delay, 766
hatch rate, 766
phenotypic plasticity, 766
drought tolerance,
Africa, 316
*Anopheles gambiae*, 316
desiccation resistance, 316
Mali, 316
dust mites,
carrying capacity, 21
*Dermatophagoides pteronyssinus*, 21
population dynamics, 21
transition matrix, 21

E

early-phase transmission,
flea, 737
plague, 737
vector, 737
*Yersinia pestis*, 737
eastern equine encephalomyelitis,
alphavirus, 862
*Culex (Melanoconion) erraticus*, 862
mosquito, 862
Trinidad trap, 862
eaves,
*Anopheles gambiae* s.l., 505
house entry, 505
house screening, 505
ecdysis, 1125, 1299
Arachnida, 1299
*Azadirachta indica*, 1125
Gulf Coast tick, 1299
*Lutzomyia longipalpis*, 1125
*Melia azedarach*, 1125
metamorphosis, 1125
ecological meta-analysis,
lymphatic filariasis, 873
vector survival, 873

*Wuchereria bancrofti*, 873
ecological niche modeling,
distribution, 680
ecology, 680
Korea, 680
malaria, 680
ecology,
distribution, 680
ecological niche modeling, 680
Korea, 680
malaria, 680
ectoparasite, 712, 1483
*Amblyomma variegatum*, 1483
bat, 712
northeast Brazil, 712
Spelaeorhynchidae, 712
Spinturnicidae, 712
St. Croix, 1483
wildlife, 1483
Ecuador,
Chagas disease, 708
*Rhodnius ecuadoriensis*, 708
*Sciurus stramineus*, 708
egg, 9, 980
*Aedes albopictus*, 9
Aedini, 980
Culicidae, 980
La Crosse virus, 9
*Ochlerotatus albifasciatus*, 980
*Ochlerotatus japonicus japonicus*, 9
*Ochlerotatus triseriatus*, 9
scanning electron microscopy, 980
*Ehrlichia chaffeensis* strains,
*Amblyomma americanum*, 1468
nested polymerase chain reaction (PCR), 1468
sequencing, 1468
variable-length PCR target, 1468
*Ehrlichia ruminantium*,
*Amblyomma variegatum*, 942
*Dermatophilus congolensis*, 942
*Rhipicephalus (Boophilus) microplus*, 942
*Rickettsia africae*, 942
enclosure experiments,
mosquitoes, 1037
predation, 1037
predator effects, 1037
vector borne disease, 1037
endosymbiont,
cytoplasmic incompatibility, 451
intraspecific competition, 451
larval development, 451
parasitic effects, 451
endotoxin,
chemokine, 595
cytokine, 595
lipopolysaccharide, 595
mite, 595
entomopathogen,
biological control, 557
blacklegged tick, 557
fungi, 557
*Ixodes scapularis*, 557
environmental conditions,
fecal colifoms, 1310
hay feeding sites, 1310
stable flies, 1310
environmental grain,
habitat choice, 220
multilevel analysis, 220
water quality, 220
West Nile virus, 220
enzootic plague reservoir,
climate, 588
Siphonaptera, 588
eosinophil,
*Dermatobia hominis*, 1514
lymphadenopathy, 1514
mast cell, 1514
myiasis, 1514
epidemics,
amplification, 1498
arboviruses, 1498
St. Louis encephalitis virus, 1498
winter freeze, 1498
epidemiology,
*Culex quinquefasciatus*, 139
*Culex tarsalis*, 139
West Nile virus, 139
western equine encephalomyelitis virus, 139
*Erinaceus europaeus*,
*Archaeopsylla erinacei*, 703
Germany, 703
polymerase chain reaction, 703
*Rickettsia felis*, 703
essential oil, 511, 1387, 1415, 1420
*Aedes aegypti*, 1387
*Asarum heterotropoides*, 1420
botanical insecticide, 1420
botanical repellent, 1387
ethnobotany, 1415
*Ixodes ricinus*, 1415
knockdown, 511
*Kunzea ambigua*, 1387
medicinal plants, 1415
monoterpenes, 511
mosquito, 1387, 1420
natural larvicide, 1420
repellency, 511
*Rhodnius prolixus*, 511
tick repellents, 1415
establishment,
*Aedes j. japonicus*, 1464
Belgium, 1464
*Culex h. hortensis*, 1464
exotic species, 1464
esterase, 539, 1370
*Culex nigripalpus*, 1370
*Culex pipiens pallens*, 539
gene expression, 1370
insecticide, 539
quantitative polymerase chain reaction, 539
ethnobotany,
essential oil, 1415
*Ixodes ricinus*, 1415
medicinal plants, 1415
tick repellents, 1415
ethylene glycol di-formate,
dichlorvos, 1400
heptyl formate, 1400
house fly, 1400
menthofuran, 1400
excitation,
barrier, 292
contact irritant, 292
insect behavior, 292
sublethal effects of insecticide, 292
exotic species,
*Aedes j. japonicus*, 1464
Belgium, 1464
*Culex h. hortensis*, 1464
establishment, 1464
expressed sequence tags,
*Cochliomyia hominivorax*, 1109
gene ontology terms, 1109
454 pyrosequencing, 1109
sex-lethal, 1109

F

fecal colifoms,
environmental conditions, 1310
hay feeding sites, 1310
stable flies, 1310
fecundity,
Asian tiger mosquito, 1235
multiple bloodmeals, 1235
ovarian development, 1235
partial bloodmeals, 1235
feeding pattern,
avian malaria, 1230
coastal area in Japan, 1230
migratory birds, 1230
mosquito fauna, 1230
feed-through,
biomarker, 1131
*Phlebotomus papatasi*, 1131
rhodamine B, 1131
sand fly, 1131
fibroblasts,
cytokine, 845
immunomodulation, 845
keratinocytes, 845
scabies, 845

field evaluation,
*Anopheles culicifacies*, 342
Anopheles fluviatilis, 342
long-lasting insecticidal net, 342
Olyset net, 342
fipronil, 580, 810
*Aedes aegypti*, 580, 810
cytochrome c oxidase, 810
gene, 580
overexpression, 580, 810
permethrin, 580, 810
fire ecology,
chaparral, 1138
*Dermacentor occidentalis*, 1138
*Ixodes pacificus*, 1138
tick control, 1138
fish,
*Anopheles gambiae*, 546
mosquitoes, 546
oviposition, 546
predation, 546
flavivirus, 640, 934, 961
alphavirus, 640, 961
arbovirus, 640, 961
bunyavirus, 640, 961
Culex flavivirus, 934
insect, 934
Kamiti River virus, 640
Kenya, 961
mosquito, 934
surveillance, 934
fleas, 737, 1146
Ctenophthalmidae, 1146
early-phase transmission, 737
Mammalia, 1146
plague, 737
Pulicidae, 1146
Rhopalopsyllidae, 1146
vector, 737
*Yersinia pestis*, 737
flesh fly,
new species, 986
*Sarcophaga kiyokoae*, 986
*Sarcophaga nanensis*, 986
Thailand, 986
flight muscle development,
Chagas disease, 1021
dispersal polymorphism, 1021
Triatominae, 1021
fly gender,
blood uptake, 351
horn fly, 351
rabbit, 351
thrombostasin, 351
forage ratio,
American robin, 380
blood-feeding behavior, 380
*Culex tarsalis*, 380
West Nile virus, 380
*Forcipomyia taiwana*,
cytochrome oxidase II, 249
genetic diversity, 249
forensic entomology, 664, 671, 1210
biological control, 1210
blow fly, 664
genetic assignment, 664
genotype, 664
inbreeding, 664
*Nasonia vitripennis*, 1210
nocturnal flight, 671
nocturnal oviposition, 671
parasitoids, 1210
postmortem interval, 671
*Tachinaephagus zealandicus*, 1210
formate ester,
butyl formate, 328
heterobicyclic, 328
menthofuran, 328
mosquito, 328
fossil,
amber, 969
*Micropygomyia dorafeliciangeliae* nov. sp., 969
Phlebotominae, 969
*Pintomyia dominicana* nov. sp., 969
*Francisella*,
*Amblyomma fimbriatum*, 926
reptile, 926
*Rickettsia*, 926
tick, 926
*Francisella*-like,
*Anaplasma*, 625
Ixodid tick, 625
transovarial transmission, 625
*Francisella*-like endosymbiont,
Francisella tularensis, 369
*iglC*, 369
Ixodidae ticks, 369
*mglA*, 369
Francisella tularensis,
*Francisella*-like endosymbiont, 369
iglC, 369
Ixodidae ticks, 369
*mglA*, 369
fungi, 557, 895
ants, 895
biological control, 557
blacklegged tick, 557
entomopathogen, 557
hospital environment, 895
*Ixodes scapularis*, 557
*Pheidole*, 895
*Tapinoma*, 895

G

*Gambusia*,
kairomone, 1338
larvivorous fish, 1338
oviposition, 1338
gene,
*Aedes aegypti*, 580
fipronil, 580
overexpression, 580
permethrin, 580
gene expression, 490, 1370, 1376
*Aedes aegypti*, 490
*Culex nigripalpus*, 1370, 1376
esterase, 1370
heat shock, 490
odorant-binding protein, 1376
suppression subtraction hybridization, 490
gene expression analysis,
*Haematobia irritans*, 257
microarrays, 257
pyrosequencing, 257
gene flow,
*Aedes aegypti*, 1074
dengue, 1074
population structure, 1074
gene ontology terms,
*Cochliomyia hominivorax*, 1109
expressed sequence tags, 1109
454 pyrosequencing, 1109
sex-lethal, 1109
genetic algorithm for rule-set production,
Caatinga, 952
Cerrado, 952
geographical distribution, 952
*Rhodnius neglectus*, 952
genetic assignment,
blow fly, 664
forensic entomology, 664
genotype, 664
inbreeding, 664
genetic diversity,
cytochrome oxidase II, 249
*Forcipomyia taiwana*, 249
genetic structure,
assortative mating, 471
host-associated divergence, 471
vector-borne disease, 471
genetic variation,
16S mtDNA, 475
*Dermacentor andersoni*, 475
Rocky Mountain wood tick, 475
single-strand conformation polymorphism, 475
genome sequencing,
comparative genomics, 175
insect immunity, 175
insecticide resistance, 175
sex determination, 175

genotype,
blow fly, 664
forensic entomology, 664
genetic assignment, 664
inbreeding, 664
geographical distribution,
Caatinga, 952
Cerrado, 952
genetic algorithm for rule-set production, 952
*Rhodnius neglectus*, 952
geographical information system,
Asian tiger mosquito, 1220
distribution, 1220
invasion biology, 1220
West Nile virus, 1220
geometric morphometry,
dispersal, 994
seasonal variations, 994
size, 994
*Triatoma infestans*, 994
georeferencing,
database, 717
distribution, 717
GIS, 717
Mosquitomap, 717
Germany,
*Archaeopsylla erinacei*, 703
*Erinaceus europaeus*, 703
polymerase chain reaction, 703
*Rickettsia felis*, 703
GIS,
database, 717
distribution, 717
georeferencing, 717
Mosquitomap, 717
*Glossina*,
nutritional stress, 1446
*Trypanosoma brucei brucei*, 1446
trypanosome maturation, 1446
tsetse fly, 1446
grandisin,
*Chrysomya megacephala*, 281
Diptera, 281
lignan, 281
postembryonic development, 281
gravid trap,
arbovirus, 919
Asian tiger mosquito, 919
CDC light trap, 919
mosquito surveillance, 919
Gregarines,
Dermatophagoides, 367
light microscopy, 367
Gulf Coast tick, 482, 1299
*Amblyomma maculatum*, 482
Arachnida, 1299
ecdysis, 1299
mitochondrial 16s rDNA, 482
population genetics, 482
single-strand conformation polymorphism, 482

H

habitat,
leishmaniasis, 1187
Morocco, 1187
risk factors, 1187
sand flies, 1187
habitat choice,
environmental grain, 220
multilevel analysis, 220
water quality, 220
West Nile virus, 220
*Haemagogus leucocelaenus*,
*Aedes aegypti*, 1450
*Aedes albopictus*, 1450
Atlantic Forest, 1450
yellow fever, 1450
*Haematobia irritans*,
gene expression analysis, 257
microarrays, 257
pyrosequencing, 257
hatch delay,
*Aedes albopictus*, 766
drought, 766
hatch rate, 766
phenotypic plasticity, 766
hatch rate,
*Aedes albopictus*, 766
drought, 766
hatch delay, 766
phenotypic plasticity, 766
hay feeding sites,
environmental conditions, 1310
fecal colifoms, 1310
stable flies, 1310
heat shock, 490, 496
*Aedes aegypti*, 490, 496
gene expression, 490
heat shock protein 70, 496
suppression subtraction hybridization, 490
heat shock protein 70,
*Aedes aegypti*, 496
heat shock, 496
*Hematobia irritans*,
horn fly, 1320
host, 1320
olfactometer, 1320
semiochemicals, 1320
Hemiptera,
$CO_2$, 1062
kissing bug, 1062
olfactometer, 1062
Triatomine, 1062
heptyl formate,
dichlorvos, 1400
ethylene glycol di-formate, 1400
house fly, 1400
menthofuran, 1400
heterobicyclic,
butyl formate, 328
formate ester, 328
menthofuran, 328
mosquito, 328
highly pathogenic H5N1 avian influenza,
blow fly, 852
*Calliphora nigribarbis*, 852
mechanical transmission, 852
virus exposure experiments, 852
high-throughput screen,
mosquito control, 335
pesticides, 335
*Hirstiella jimenezi*,
Acari, 442
lizard ectoparasites, 442
*Phyllodactylus bordai*, 442
Pterygosomatidae, 442
honey bee,
*Apis mellifera*, 782
defensive response, 782
methyl anthranilate, 782
horn fly, 351, 1320
blood uptake, 351
fly gender, 351
*Hematobia irritans*, 1320
host, 1320
olfactometer, 1320
rabbit, 351
semiochemicals, 1320
thrombostasin, 351
hospital environment,
ants, 895
fungi, 895
*Pheidole*, 895
*Tapinoma*, 895
host,
*Hematobia irritans*, 1320
horn fly, 1320
olfactometer, 1320
semiochemicals, 1320
host feeding,
*Anopheles fluviatilis*, 1045
*Anopheles minimus*, 1045
India, 1045
Singhbhum hills, 1045
host preference,
California, 115
*Dermacentor*, 115
*Ixodes*, 115
tick–host interactions, 115
host-associated divergence,
assortative mating, 471
genetic structure, 471
vector-borne disease, 471
house entry,
*Anopheles gambiae* s.l., 505
eaves, 505

house screening, 505
house fly,
dichlorvos, 1400
ethylene glycol di-formate, 1400
heptyl formate, 1400
menthofuran, 1400
house screening,
*Anopheles gambiae* s.l., 505
eaves, 505
house entry, 505
house sparrows,
California, 1203
cliff swallows, 1203
Stone Lakes virus, 1203
swallow bugs, 1203
*Hyalomma excavatum*
Metarhizium anisopliae, 531
*Rhipicephalus* (*Boophilus*) *annulatus*, 531
*Rhipicephalus sanguineus*, 531
tick eggs, 531
hybridization,
*Culex pipiens* complex, 236
*Culex quinquefasciatus*, 236
microsatellites, 236
transect, 236

I

*iglC*,
Francisella tularensis, 369
*Francisella*-like endosymbiont, 369
Ixodidae ticks, 369
mglA, 369
immunity, 358, 1436
cattle, 358
*Dermacentor andersoni*, 358, 1436
Rocky Mountain wood tick, 358, 1436
sheep, 1436
tick paralysis, 358, 1436
immunomodulation,
cytokine, 845
fibroblasts, 845
keratinocytes, 845
scabies, 845
inbreeding,
blow fly, 664
forensic entomology, 664
genetic assignment, 664
genotype, 664
indel region,
*Culicoides*, 1099
internal transcribed spacer, 1099
rRNA, 1099
species identification, 1099
India,
*Anopheles fluviatilis*, 1045
*Anopheles minimus*, 1045
host feeding, 1045
Singhbhum hills, 1045
indoor residual spraying,
*Anopheles gambiae*, 516
inseticide-treated nets, 516
pyrethroid resistance, 516
pyrethrum, 516
insect,
Culex flavivirus, 934
Flavivirus, 934
mosquito, 934
surveillance, 934
insect behavior,
barrier, 292
contact irritant, 292
excitation, 292
sublethal effects of insecticide, 292
insect immunity,
comparative genomics, 175
genome sequencing, 175
insecticide resistance, 175
sex determination, 175
Insecta,
linkage analysis, 169
M factor, 169
sex determination, 169
insecticide,
*Culex pipiens pallens*, 539
esterase, 539
quantitative polymerase chain reaction, 539
insecticide avoidance,
behavioral responses, 51
*Cimex lectularius*, 51
locomotor activity, 51
insecticide resistance, 77, 175, 321, 1430
AeSCP-2 inhibitor, 1430
comparative genomics, 175
cross-resistance, 1430
*Culex*, 321
*Culex quinquefasciatus*, 1430
genome sequencing, 175
insect immunity, 175
*Pediculus capitis*, 77
phenothrin, 77
sex determination, 175
SNaPshot, 77
sodium channel, 77
West Nile virus, 321
insecticide-impregnated nets,
leishmaniasis, 820
Phlebotomine sand flies, 820
vertical barrier, 820
insecticide-treated nets,
*Anopheles gambiae*, 516
indoor residual spraying, 516
pyrethroid resistance, 516
pyrethrum, 516
insemination rates,
*Aedes triseriatus*, 1152
La Crosse virus, 1152
mating efficiency, 1152
insensitive acetylcholinesterases,
*Culex pipiens*, 523
organophosphorous insecticides, 523
overproduced esterases, 523
integrated pest management, 420, 566
apartments, 566
Bla g 1, 420
*Cimex lectularius*, 566
cockroach allergen, 420
cockroaches, 420
control, 566
schools, 420
internal transcribed spacer,
*Culicoides*, 1099
indel region, 1099
rRNA, 1099
species identification, 1099
internal transcribed spacer 2,
*Anopheles* Hyrcanus Group, 1084
Iran, 1084
*Plasmodium* infection, 1084
voltage-gated sodium channel (*vgsc*) gene, 1084
intraspecific competition, 409, 451
*Aedes aegypti*, 409
cytoplasmic incompatibility, 451
density dependence, 409
endosymbiont, 451
larval development, 451
mathematical model, 409
parameter estimation, 409
parasitic effects, 451
invasion biology,
Asian tiger mosquito, 1220
distribution, 1220
geographical information system, 1220
West Nile virus, 1220
Iowa,
*Aedes* (*Finlaya*) *japonicus japonicus*, 1282
DNA barcode, 1282
La Crosse virus, 1282
West Nile virus, 1282
Iran, 1084, 1094
*Anopheles* Hyrcanus Group, 1084
internal transcribed spacer 2, 1084
*Leishmania infantum*, 1094
*Phlebotomus perfiliewi*, 1094
*Plasmodium* infection, 1084

voltage-gated sodium channel (*vgsc*) gene, 1084
Iraq,
detection, 649
*Leishmania*, 649
polymerase chain reaction, 649
sand flies, 649
iridoid,
catnip, 832
*Nepeta cataria*, 832
nepetalactone, 832
repellent, 832
ITS2 sequence,
Culicidae, 403
Madagascar, 403
*Neomelaniconion*, 403
taxonomy, 403
*Ixodes*, 115, 1458
California, 115
*Dermacentor*, 115
host preference, 115
Lyme disease, 1458
salivary glands, 1458
Salp15, 1458
tick–host interactions, 115
ticks, 1458
*Ixodes pacificus*,
chaparral, 1138
*Dermacentor occidentalis*, 1138
fire ecology, 1138
tick control, 1138
*Ixodes ricinus*,
essential oil, 1415
ethnobotany, 1415
medicinal plants, 1415
tick repellents, 1415
*Ixodes scapularis*, 100, 557, 1025
*Aedes aegypti*, 100
*Amblyomma americanum*, 100
*Anopheles stephensi*, 100
biological control, 557
blacklegged tick, 557
entomopathogen, 557
fungi, 557
*N,N*-diethyl-3-methyl benzamide, 100
precipitation, 1025
prediction, 1025
temperature, 1025
Ixodid tick,
*Anaplasma*, 625
*Francisella*-like, 625
transovarial transmission, 625
Ixodidae,
*Amblyomma cajennense*, 1303
Brazil, 1303
diapause, 1303
tick, 1303
Ixodidae ticks,
Francisella tularensis, 369
*Francisella*-like endosymbiont, 369
iglC, 369
*mglA*, 369

J

Japanese encephalitis,
*Culex gelidus*, 633
*Culex tritaeniorhynchus*, 633
Kurnool, 633
south India, 633

K

kairomone,
*Gambusia*, 1338
larvivorous fish, 1338
oviposition, 1338
Kamiti River virus,
alphavirus, 640
arboviruses, 640
bunyavirus, 640
flavivirus, 640
*Kdr* mutation,
Alabama, 1424
*Culex quinquefasciatus*, 1424
permethrin resistance, 1424
Kenya, 460, 961
alphavirus, 961
*Anopheles gambiae*, 460
arbovirus, 961
bunyavirus, 961
diversity, 460
flavivirus, 961
malaria, 460
trophic cascades, 460
keratinocytes,
cytokine, 845
fibroblasts, 845
immunomodulation, 845
scabies, 845
kissing bug,
$CO_2$, 1062
Hemiptera, 1062
olfactometer, 1062
Triatomine, 1062
knockdown,
essential oils, 511
monoterpenes, 511
repellency, 511
*Rhodnius prolixus*, 511
Korea,
distribution, 680
ecological niche modeling, 680
ecology, 680
malaria, 680
*Kunzea ambigua*,
*Aedes aegypti*, 1387
botanical repellent, 1387
essential oil, 1387
mosquito, 1387
Kurnool,
*Culex gelidus*, 633
*Culex tritaeniorhynchus*, 633
Japanese encephalitis, 633
south India, 633

L

La Crosse virus, 9, 1152, 1282
*Aedes albopictus*, 9
*Aedes (Finlaya) japonicus japonicus*, 1282
*Aedes triseriatus*, 1152
DNA barcode, 1282
egg, 9
insemination rates, 1152
Iowa, 1282
mating efficiency, 1152
*Ochlerotatus japonicus japonicus*, 9
*Ochlerotatus triseriatus*, 9
West Nile virus, 1282
larvae,
Bluetongue vector, 610
*Culicoides*, 610
multiplex polymerase chain reaction, 610
larval control,
*Anopheles gambiae*, 107
limonoids, 107
malaria, 107
Neem, 107
larval development,
cytoplasmic incompatibility, 451
endosymbiont, 451
intraspecific competition, 451
parasitic effects, 451
larval ecology,
*Aedes aegypti*, 198
*Aedes albopictus*, 198
*Aedes lilii*, 198
Mayotte, 198
larvicide,
*Bacillus sphaericus*, 67
*Culex quinquefasciatus*, 67
mosquito control, 67
larvivorous fish,
*Gambusia*, 1338
kairomone, 1338
oviposition, 1338
*Leishmania*, 605, 649, 693, 1159
cysteine peptidase, 605
detection, 649
Iraq, 649
*Lutzomyia neivai*, 1159
*Lutzomyia sallesi*, 1159
natural infection, 1159
organophosphate, 693
Phlebotominae, 1159
*Phlebotomus*, 605, 693
polymerase chain reaction, 649

pyrethroid, 693
sand fly, 605, 649, 693
*Leishmania infantum*,
Iran, 1094
*Phlebotomus perfiliewi*, 1094
leishmaniasis, 42, 820, 965, 1187
habitat, 1187
insecticide-impregnated nets, 820
mark-release-recapture, 42
Morocco, 1187
*Nyssomyia neivai*, 42
phlebotomine, 965
Phlebotomine sand flies, 820
population size, 42
risk factors, 1187
sand flies, 1187
survival, 42
vertical barrier, 820
vesicular stomatitis virus, 965
*Leptotrombidium chiangraiensis*,
chiggers, 1442
*Leptotrombidium imphalum*, 1442
*Orientia tsutsugamushi*, 1442
transmission, 1442
*Leptotrombidium imphalum*,
chiggers, 1442
*Leptotrombidium chiangraiensis*, 1442
*Orientia tsutsugamushi*, 1442
transmission, 1442
light microscopy,
Dermatophagoides, 367
Gregarines, 367
lignan,
*Chrysomya megacephala*, 281
Diptera, 281
grandisin, 281
postembryonic development, 281
limonoids,
*Anopheles gambiae*, 107
larval control, 107
malaria, 107
Neem, 107
linkage analysis,
Insecta, 169
M factor, 169
sex determination, 169
lipopolysaccharide,
chemokine, 595
cytokine, 595
endotoxin, 595
mite, 595
lizard ectoparasites,
Acari, 442
*Hirstiella jimenezi*, 442
*Phyllodactylus bordai*, 442
Pterygosomatidae, 442
locomotor activity,
behavioral responses, 51
*Cimex lectularius*, 51
insecticide avoidance, 51
lone star tick, 1030, 1240
*Amblyomma americanum*, 1030, 1240
prescribed fire, 1030
tick elimination, 1240
tick-borne disease, 1240
white-tailed deer, 1030
long-lasting insecticidal net,
*Anopheles culicifacies*, 342
Anopheles fluviatilis, 342
field evaluation, 342
Olyset net, 342
*Longisetacarus* gen. nov.,
*Amblyomma variegatum*, 1260
cattle egret, 1260
chiggers, 1260
*Whartonacarus floridensis* sp. nov., 1260
*Loxosceles reclusa*,
Arachnida, 15
brown recluse spider, 15
distribution, 15
overdiagnosis, 15
luminescent assay,
*Culex pipiens* complex, 83
cytochrome P450, 83
mosquito, 83
pyrethroid resistance, 83
*Lutzomyia longipalpis*,
*Azadirachta indica*, 1125
ecdysis, 1125
*Melia azedarach*, 1125
metamorphosis, 1125
*Lutzomyia neivai*,
*Leishmania*, 1159
*Lutzomyia sallesi*, 1159
natural infection, 1159
Phlebotominae, 1159
*Lutzomyia sallesi*,
*Leishmania*, 1159
*Lutzomyia neivai*, 1159
natural infection, 1159
Phlebotominae, 1159
*Lutzomyia shannoni*,
*Lutzomyia vexator*, 1052
sand fly, 1052
*Lutzomyia vexator*,
*Lutzomyia shannoni*, 1052
sand fly, 1052
Lyme disease, 131, 1458
*Borrelia burgdorferi*, 131
*Borrelia lonestari*, 131
*Ixodes*, 1458
salivary glands, 1458
Salp15, 1458
ticks, 1458
waterfowl, 131
wild turkeys, 131
lymphadenopathy,
*Dermatobia hominis*, 1514
eosinophil, 1514
mast cell, 1514
myiasis, 1514
lymphatic filariasis,
ecological meta-analysis, 873
vector survival, 873
*Wuchereria bancrofti*, 873

**M**

M factor,
Insecta, 169
linkage analysis, 169
sex determination, 169
Madagascar,
Culicidae, 403
ITS2 sequence, 403
*Neomelaniconion*, 403
taxonomy, 403
malaria, 107, 460, 680
*Anopheles gambiae*, 107, 460
distribution, 680
diversity, 460
ecological niche modeling, 680
ecology, 680
Kenya, 460
Korea, 680
larval control, 107
limonoids, 107
Neem, 107
trophic cascades, 460
malaria vectors,
*Anopheles nyssorhynchus* spp., 307
mosquito abundance, 307
mosquito nets, 307
Mali,
Africa, 316
*Anopheles gambiae*, 316
desiccation resistance, 316
drought tolerance, 316
Mammalia,
Ctenophthalmidae, 1146
fleas, 1146
Pulicidae, 1146
Rhopalopsyllidae, 1146
mark-release-recapture,
leishmaniasis, 42
*Nyssomyia neivai*, 42
population size, 42
survival, 42
mast cell,
*Dermatobia hominis*, 1514
eosinophil, 1514
lymphadenopathy, 1514
myiasis, 1514
mate guarding,
Chagas disease, 789
mating behavior, 789
polyandry, 789
sexual maturation, 789

mate recognition,
*Anopheles gambiae*, 227
stereoscopic image analysis, 227
swarm, 227
three-dimensional localization, 227
mathematical model,
*Aedes aegypti*, 409
density dependence, 409
intraspecific competition, 409
parameter estimation, 409
mating behavior,
Chagas disease, 789
mate guarding, 789
polyandry, 789
sexual maturation, 789
mating efficiency,
*Aedes triseriatus*, 1152
insemination rates, 1152
La Crosse virus, 1152
mating performance,
mosquito, 1327
population projection matrix, 1327
sugar feeding, 1327
Mayotte,
*Aedes aegypti*, 198
*Aedes albopictus*, 198
*Aedes lilii*, 198
larval ecology, 198
mechanical transmission, 852, 1537
black fly, 1537
blow fly, 852
*Calliphora nigribarbis*, 852
highly pathogenic H5N1 avian influenza, 852
*Simulium*, 1537
vesicular stomatitis virus, 1537
virus exposure experiments, 852
medicinal plants,
essential oil, 1415
ethnobotany, 1415
*Ixodes ricinus*, 1415
tick repellents, 1415
*Melia azedarach*,
*Azadirachta indica*, 1125
ecdysis, 1125
*Lutzomyia longipalpis*, 1125
metamorphosis, 1125
menthofuran, 328, 1400
butyl formate, 328
dichlorvos, 1400
ethylene glycol di-formate, 1400
formate ester, 328
heptyl formate, 1400
heterobicyclic, 328
house fly, 1400
mosquito, 328
metamorphosis,
*Azadirachta indica*, 1125
ecdysis, 1125
*Lutzomyia longipalpis*, 1125
*Melia azedarach*, 1125
*Metarhizium anisopliae*,
*Hyalomma excavatum*
Rhipicephalus (*Boophilus*) *annulatus*, 531
*Rhipicephalus sanguineus*, 531
tick eggs, 531
meteorological variables,
*Aedes aegypti*, 1001
dengue, 1001
population dynamics, 1001
traps, 1001
methoprene,
*Bacillus thuringiensis* subsp. *israelensis*, 881
*Culex pipiens*, 881
organophosphate resistance, 881
methyl anthranilate,
*Apis mellifera*, 782
defensive response, 782
honey bee, 782
*mglA*,
Francisella tularensis, 369
*Francisella*-like endosymbiont, 369
iglC, 369
Ixodidae ticks, 369
microarrays,
gene expression analysis, 257
*Haematobia irritans*, 257
pyrosequencing, 257
microbial control,
*Beauveria bassiana*, 284
*Rhipicephalus* (*Boophilus*) *microplus*, 284
*Micropygomyia dorafeliciangeliae* nov. sp.,
amber, 969
fossil, 969
Phlebotominae, 969
*Pintomyia dominicana* nov. sp., 969
microsatellites,
*Culex pipiens* complex, 236
*Culex quinquefasciatus*, 236
hybridization, 236
transect, 236
midge,
chemical ecology, 208
*Culicoides*, 208
repellent, 208
semiochemical, 208
migratory birds,
avian malaria, 1230
coastal area in Japan, 1230
feeding pattern, 1230
mosquito fauna, 1230
mite,
chemokine, 595
cytokine, 595
endotoxin, 595
lipopolysaccharide, 595
mitochondrial DNA,
*Aedes aegypti*, 1344
colonization patterns, 1344
passive transportation, 1344
mitochondrial 16s rDNA,
*Amblyomma maculatum*, 482
Gulf Coast tick, 482
population genetics, 482
single-strand conformation polymorphism, 482
molecular evolution,
*Aedes albopictus*, 271
odorant-binding protein, 271
olfaction, 271
monoterpenes,
essential oils, 511
knockdown, 511
repellency, 511
*Rhodnius prolixus*, 511
Morocco,
habitat, 1187
leishmaniasis, 1187
risk factors, 1187
sand flies, 1187
morphology,
digestive system, 165
*Periplaneta americana*, 165
three-dimensional reconstruction, 165
mosquito, 83, 158, 328, 546, 862, 900, 934, 1037, 1327, 1387, 1420, 1474, 1494
*Aedes aegypti*, 1387
alphavirus, 862
*Anopheles gambiae*, 546
arbovirus, 1494
*Asarum heterotropoides*, 1420
botanical insecticide, 1420
botanical repellent, 1387
*Brugia malayi*, 158
butyl formate, 328
Culex flavivirus, 934
*Culex* (*Melanoconion*) *erraticus*, 862
*Culex pipiens* complex, 83
*Culex tarsalis*, 1474
Culicidae, 1474
cytochrome P450, 83
detection, 158
eastern equine encephalomyelitis, 862
enclosure experiments, 1037
essential oil, 1387, 1420
fish, 546
Flavivirus, 934
formate ester, 328
heterobicyclic, 328

insect, 934
*Kunzea ambigua*, 1387
luminescent assay, 83
mating performance, 1327
menthofuran, 328
natural larvicide, 1420
oviposition, 546
population projection matrix, 1327
predation, 546, 1037
predator effects, 1037
pyrethroid resistance, 83
real-time fluorescence resonance energy transfer multiplex polymerase chain reaction, 158
seasonal distribution, 1474
semiochemicals, 900
sentinel chicken, 1474
statistical analysis, 1494
sugar feeding, 1327
surveillance, 900, 934, 1494
Texas, 1494
traps, 900
Trinidad trap, 862
vector borne disease, 1037
vertical distribution, 900
*Wuchereria bancrofti*, 158
mosquito abundance, 307, 1256
*Anopheles nyssorhynchus* spp., 307
malaria vectors, 307
mosquito aspirator, 1256
mosquito nets, 307
sampling, 1256
mosquito aspirator,
mosquito abundance, 1256
sampling, 1256
mosquito bloodmeal identification,
*Aedes camptorhynchus*, 1167
arbovirus ecology, 1167
*Culex annulirostris*, 1167
*Culex pullus*, 1167
mosquito control, 67, 335
*Bacillus sphaericus*, 67
*Culex quinquefasciatus*, 67
high-throughput screen, 335
larvicide, 67
pesticides, 335
mosquito fauna,
avian malaria, 1230
coastal area in Japan, 1230
feeding pattern, 1230
migratory birds, 1230
mosquito identification,
cibarial armature, 745
*Culex* (*Melanoconion*), 745
mosquito nets,
*Anopheles nyssorhynchus* spp., 307
malaria vectors, 307
mosquito abundance, 307
mosquito production,
open water marsh management, 1392
salt marsh, 1392
mosquito surveillance,
arbovirus, 919
Asian tiger mosquito, 919
CDC light trap, 919
gravid trap, 919
Mosquitomap,
database, 717
distribution, 717
georeferencing, 717
GIS, 717
multilevel analysis,
environmental grain, 220
habitat choice, 220
water quality, 220
West Nile virus, 220
multiple bloodmeals,
Asian tiger mosquito, 1235
fecundity, 1235
ovarian development, 1235
partial bloodmeals, 1235
multiplex polymerase chain reaction,
Bluetongue vector, 610
*Culicoides*, 610
larvae, 610
*Musca domestica*, 123, 1164
alimentary canal, 123
bacteria, 123
*Campylobacter jejuni*, 1164
pathogenic bacteria, 1164
pathogenic fungi, 1164
peritrophic matrix, 123
synanthropic flies, 1164
vector potential, 123
myiasis,
*Dermatobia hominis*, 1514
eosinophil, 1514
lymphadenopathy, 1514
mast cell, 1514

N

*Nasonia vitripennis*,
biological control, 1210
forensic entomology, 1210
parasitoids, 1210
*Tachinaephagus zealandicus*, 1210
natural infection,
*Leishmania*, 1159
*Lutzomyia neivai*, 1159
*Lutzomyia sallesi*, 1159
Phlebotominae, 1159
natural larvicide,
*Asarum heterotropoides*, 1420
botanical insecticide, 1420
essential oil, 1420
mosquito, 1420
Neem,
*Anopheles gambiae*, 107
larval control, 107
limonoids, 107
malaria, 107
*Neomelaniconion*,
Culicidae, 403
ITS2 sequence, 403
Madagascar, 403
taxonomy, 403
Nepal,
Acari, 753
chiggers, 753
parasites, 753
taxonomy, 753
*Nepeta cataria*,
catnip, 832
iridoid, 832
nepetalactone, 832
repellent, 832
nepetalactone,
catnip, 832
iridoid, 832
*Nepeta cataria*, 832
repellent, 832
nested polymerase chain reaction (PCR),
*Amblyomma americanum*, 1468
*Ehrlichia chaffeensis* strains, 1468
sequencing, 1468
variable-length PCR target, 1468
new species,
flesh fly, 986
*Sarcophaga kiyokoae*, 986
*Sarcophaga nanensis*, 986
Thailand, 986
N,N-diethyl-3-methyl benzamide,
*Aedes aegypti*, 100
*Amblyomma americanum*, 100
*Anopheles stephensi*, 100
*Ixodes scapularis*, 100
nocturnal flight,
forensic entomology, 671
nocturnal oviposition, 671
postmortem interval, 671
nocturnal oviposition,
forensic entomology, 671
nocturnal flight, 671
postmortem interval, 671
northeast Brazil,
bat, 712
ectoparasite, 712
Spelaeorhynchidae, 712
Spinturnicidae, 712
nutritional stress,
*Glossina*, 1446
*Trypanosoma brucei brucei*, 1446
trypanosome maturation, 1446

tsetse fly, 1446
*Nyssomyia neivai*,
leishmaniasis, 42
mark-release-recapture, 42
population size, 42
survival, 42

O

*Ochlerotatus*,
*Aedes*, 1290
*Culex*, 1290
dispersal, 1290
West Nile virus, 1290
*Ochlerotatus albifasciatus*,
Aedini, 980
Culicidae, 980
egg, 980
scanning electron microscopy, 980
*Ochlerotatus japonicus japonicus*,
*Aedes albopictus*, 9
egg, 9
La Crosse virus, 9
*Ochlerotatus triseriatus*, 9
*Ochlerotatus triseriatus*,
*Aedes albopictus*, 9
egg, 9
La Crosse virus, 9
*Ochlerotatus japonicus japonicus*, 9
odorant-binding protein, 271, 1376
*Aedes albopictus*, 271
*Culex nigripalpus*, 1376
gene expression, 1376
molecular evolution, 271
olfaction, 271
*Oeciacus vicarius*,
Buggy Creek virus, 391
cliff swallow, 391
*Petrochelidon pyrrhonota*, 391
swallow bug, 391
olfaction,
*Aedes albopictus*, 271
molecular evolution, 271
odorant-binding protein, 271
olfactometer, 1062, 1320
$CO_2$, 1062
*Hematobia irritans*, 1320
Hemiptera, 1062
horn fly, 1320
host, 1320
kissing bug, 1062
semiochemicals, 1320
Triatomine, 1062
Olyset net,
*Anopheles culicifacies*, 342
Anopheles fluviatilis, 342
field evaluation, 342
long-lasting insecticidal net, 342
open water marsh management,
mosquito production, 1392
salt marsh, 1392
organophosphate, 693, 1355
Acari, 1355
acaricide resistance, 1355
acetylcholinesterase, 1355
cattle fever tick, 1355
Leishmania, 693
*Phlebotomus*, 693
pyrethroid, 693
sand fly, 693
organophosphate resistance,
Bacillus thuringiensis subsp. *israelensis*, 881
*Culex pipiens*, 881
methoprene, 881
organophosphorous insecticides,
*Culex pipiens*, 523
insensitive acetylcholinesterases, 523
overproduced esterases, 523
*Orientia tsutsugamushi*,
chiggers, 1442
*Leptotrombidium chiangraiensis*, 1442
*Leptotrombidium imphalum*, 1442
transmission, 1442
*Orthopodomyia signifera*,
*Aedes albopictus*, 1507
*Aedes triseriatus*, 1507
surveillance, 1507
traps, 1507
ovarian development,
Asian tiger mosquito, 1235
fecundity, 1235
multiple bloodmeals, 1235
partial bloodmeals, 1235
overdiagnosis,
Arachnida, 15
brown recluse spider, 15
distribution, 15
*Loxosceles reclusa*, 15
overexpression, 580, 810
*Aedes aegypti*, 580, 810
cytochrome c oxidase, 810
fipronil, 580, 810
gene, 580
permethrin, 580, 810
overproduced esterases,
*Culex pipiens*, 523
insensitive acetylcholinesterases, 523
organophosphorous insecticides, 523
oviposition, 546, 1338
*Anopheles gambiae*, 546
fish, 546
*Gambusia*, 1338
kairomone, 1338
larvivorous fish, 1338
mosquitoes, 546
predation, 546

P

Panama,
Anaplasmataceae, 856
spotted fever group rickettsiae, 856
ticks, 856
parameter estimation,
*Aedes aegypti*, 409
density dependence, 409
intraspecific competition, 409
mathematical model, 409
parasites,
Acari, 753
chiggers, 753
Nepal, 753
taxonomy, 753
parasitic effects,
cytoplasmic incompatibility, 451
endosymbiont, 451
intraspecific competition, 451
larval development, 451
parasitoids,
biological control, 1210
forensic entomology, 1210
*Nasonia vitripennis*, 1210
*Tachinaephagus zealandicus*, 1210
paratransgenesis,
plague transmission, 1532
*Xenopsylla cheopis*, 1532
parrots,
Chagas disease, 1195
reinfestation, 1195
*Triatoma infestans*, 1195
vector control, 1195
partial bloodmeals,
Asian tiger mosquito, 1235
fecundity, 1235
multiple bloodmeals, 1235
ovarian development, 1235
Passeriformes,
Acari, 183
quill mites, 183
Syringophilidae, 183
*Torotrogla*, 183
passive transportation,
*Aedes aegypti*, 1344
colonization patterns, 1344
mitochondrial DNA, 1344
pathogenesis,
black fly, 866
vesicular stomatitis virus, 866
pathogenic bacteria,
*Campylobacter jejuni*, 1164
*Musca domestica*, 1164
pathogenic fungi, 1164

synanthropic flies, 1164
pathogenic fungi,
*Campylobacter jejuni*, 1164
*Musca domestica*, 1164
pathogenic bacteria, 1164
synanthropic flies, 1164
PCP,
*Culex pipiens*, 1382
diapause, 1382
proteomics, 1382
*Pediculus capitis*,
insecticide resistance, 77
phenothrin, 77
SNaPshot, 77
sodium channel, 77
perimicrovillar membranes,
blood digestion, 435
spherocrystals, 435
Triatominae, 435
*Periplaneta americana*,
digestive system, 165
morphology, 165
three-dimensional reconstruction, 165
peritrophic matrix,
alimentary canal, 123
bacteria, 123
*Musca domestica*, 123
vector potential, 123
permethrin, 580, 810, 1361
*Aedes aegypti*, 580, 810, 1361
cytochrome *b*, 1361
cytochrome c oxidase, 810
development, 1361
fipronil, 580, 810
gene, 580
overexpression, 580, 810
quantitative polymerase chain reaction, 1361
permethrin resistance,
Alabama, 1424
*Culex quinquefasciatus*, 1424
*Kdr* mutation, 1424
persimmon,
*Aedes albopictus*, 465
detritus, 465
pesticides,
high-throughput screen, 335
mosquito control, 335
*Petrochelidon pyrrhonota*,
Buggy Creek virus, 391
cliff swallow, 391
*Oeciacus vicarius*, 391
swallow bug, 391
*Petrochelidon pyrrhonota*,
Buggy Creek virus, 375
cliff swallow, 375
swallow bug, 375
vertical transmission, 375
*Pheidole*,
ants, 895
fungi, 895
hospital environment, 895
*Tapinoma*, 895
phenothrin,
insecticide resistance, 77
*Pediculus capitis*, 77
SNaPshot, 77
sodium channel, 77
phenotypic plasticity,
*Aedes albopictus*, 766
drought, 766
hatch delay, 766
hatch rate, 766
Phlebotominae, 1, 969, 1159
amber, 969
central Tunisia, 1
fossil, 969
*Leishmania*, 1159
*Lutzomyia neivai*, 1159
*Lutzomyia sallesi*, 1159
*Micropygomyia dorafeliciangeliae* nov. sp., 969
natural infection, 1159
*Pintomyia dominicana* nov. sp., 969
species distribution, 1
phlebotomine,
leishmaniasis, 965
vesicular stomatitis virus, 965
Phlebotomine sand flies,
insecticide-impregnated nets, 820
leishmaniasis, 820
vertical barrier, 820
*Phlebotomus*, 605, 693
cysteine peptidase, 605
*Leishmania*, 605, 693
organophosphate, 693
pyrethroid, 693
sand fly, 605, 693
*Phlebotomus papatasi*, 400, 1131
abundance, 400
biomarker, 1131
feed-through, 1131
rhodamine B, 1131
sand fly, 400, 1131
spatial distribution, 400
zoonotic cutaneous leishmaniasis, 400
*Phlebotomus perfiliewi*,
Iran, 1094
*Leishmania infantum*, 1094
*Phoneutria nigriventer*,
complement system, 58
*Ctenus medius*, 58
proinflammatory activities, 58
spider venoms, 58
*Phyllodactylus bordai*,
Acari, 442
*Hirstiella jimenezi*, 442
lizard ectoparasites, 442
Pterygosomatidae, 442
*Pintomyia dominicana* nov. sp.,
amber, 969
fossil, 969
*Micropygomyia dorafeliciangeliae* nov. sp., 969
Phlebotominae, 969
plague,
early-phase transmission, 737
flea, 737
vector, 737
*Yersinia pestis*, 737
plague transmission,
paratransgenesis, 1532
*Xenopsylla cheopis*, 1532
*Plasmodium* infection,
*Anopheles* Hyrcanus Group, 1084
internal transcribed spacer 2, 1084
Iran, 1084
voltage-gated sodium channel (*vgsc*) gene, 1084
polyandry,
Chagas disease, 789
mate guarding, 789
mating behavior, 789
sexual maturation, 789
polymerase chain reaction, 649, 703
*Archaeopsylla erinacei*, 703
detection, 649
*Erinaceus europaeus*, 703
Germany, 703
Iraq, 649
*Leishmania*, 649
*Rickettsia felis*, 703
sand flies, 649
ponds,
abundance, 1269
*Culex modestus*, 1269
prevalence, 1269
screening test, 1269
population admixture,
*cytochrome oxidase I*, 796
population expansion, 796
population structure, 796
*Triatoma infestans*, 796
population cages,
*Aedes aegypti*, 909
*Aedes* Densonucleosis virus, 909
virus dispersal, 909
virus propagation, 909
population dynamics, 21, 1001
*Aedes aegypti*, 1001
carrying capacity, 21
dengue, 1001
*Dermatophagoides pteronyssinus*, 21
dust mites, 21
meteorological variables, 1001

transition matrix, 21
traps, 1001
population expansion,
*cytochrome oxidase I*, 796
population admixture, 796
population structure, 796
*Triatoma infestans*, 796
population genetics,
*Amblyomma maculatum*, 482
Gulf Coast tick, 482
mitochondrial 16s rDNA, 482
single-strand conformation polymorphism, 482
population projection matrix,
mating performance, 1327
mosquito, 1327
sugar feeding, 1327
population size,
leishmaniasis, 42
mark-release-recapture, 42
*Nyssomyia neivai*, 42
survival, 42
population structure, 796, 1074
*Aedes aegypti*, 1074
*cytochrome oxidase I*, 796
dengue, 1074
gene flow, 1074
population admixture, 796
population expansion, 796
*Triatoma infestans*, 796
postembryonic development,
*Chrysomya megacephala*, 281
Diptera, 281
grandisin, 281
lignan, 281
postmortem interval,
forensic entomology, 671
nocturnal flight, 671
nocturnal oviposition, 671
precipitation,
*Ixodes scapularis*, 1025
prediction, 1025
temperature, 1025
predation, 546, 1037
*Anopheles gambiae*, 546
enclosure experiments, 1037
fish, 546
mosquitoes, 546, 1037
oviposition, 546
predator effects, 1037
vector borne disease, 1037
predator effects,
enclosure experiments, 1037
mosquitoes, 1037
predation, 1037
vector borne disease, 1037
prediction,
*Ixodes scapularis*, 1025
precipitation, 1025
temperature, 1025
prescribed fire,
*Amblyomma americanum*, 1030
lone star tick, 1030
white-tailed deer, 1030
prevalence,
abundance, 1269
*Culex modestus*, 1269
ponds, 1269
screening test, 1269
prevention,
*Aedes aegypti*, 841
biological control, 841
chlorine, 841
dengue, 841
proactive control approaches,
adaptive management, 1245
*Aedes aegypti*, 1245
continuous improvement cycle, 1245
dengue, 1245
proinflammatory activities,
complement system, 58
*Ctenus medius*, 58
*Phoneutria nigriventer*, 58
spider venoms, 58
proteomics,
*Culex pipiens*, 1382
diapause, 1382
PCP, 1382
Pterygosomatidae,
Acari, 442
*Hirstiella jimenezi*, 442
lizard ectoparasites, 442
*Phyllodactylus bordai*, 442
Pulicidae,
Ctenophthalmidae, 1146
fleas, 1146
Mammalia, 1146
Rhopalopsyllidae, 1146
pupal survey,
*Aedes aegypti*, 1176
dengue transmission risk, 1176
temephos, 1176
vector control, 1176
pyrethroid,
Leishmania, 693
organophosphate, 693
*Phlebotomus*, 693
sand fly, 693
pyrethroid resistance, 83, 516
Anopheles gambiae, 516
*Culex pipiens* complex, 83
cytochrome P450, 83
indoor residual spraying, 516
inseticide-treated nets, 516
luminescent assay, 83
mosquito, 83
pyrethrum, 516
pyrethrum,
*Anopheles gambiae*, 516
indoor residual spraying, 516
inseticide-treated nets, 516
pyrethroid resistance, 516
pyrosequencing,
gene expression analysis, 257
*Haematobia irritans*, 257
microarrays, 257
454 pyrosequencing,
*Cochliomyia hominivorax*, 1109
expressed sequence tags, 1109
gene ontology terms, 1109
sex-lethal, 1109

**Q**

quantitative polymerase chain reaction, 539, 1361
*Aedes aegypti*, 1361
*Culex pipiens pallens*, 539
cytochrome *b*, 1361
development, 1361
esterase, 539
insecticide, 539
permethrin, 1361
quill mites,
Acari, 183
Passeriformes, 183
Syringophilidae, 183
*Torotrogla*, 183

**R**

rabbit,
blood uptake, 351
fly gender, 351
horn fly, 351
thrombostasin, 351
rainfall exposure,
control, 93
coumaphos, 93
*Rhipicephalus* (*Boophilus*) *microplus*, 93
real-time fluorescence resonance energy transfer multiplex polymerase chain reaction,
*Brugia malayi*, 158
detection, 158
mosquitoes, 158
*Wuchereria bancrofti*, 158
real-time quantitative polymerase chain reaction,
*Rhipicephalus appendiculatus*, 888
strain-specific vector competence, 888
*Theileria parva*, 888
tick-borne pathogen, 888
reinfestation,
Chagas disease, 1195
parrots, 1195
*Triatoma infestans*, 1195
vector control, 1195
repellency,
essential oils, 511
knockdown, 511
monoterpenes, 511

*Rhodnius prolixus*, 511
repellent, 208, 832
catnip, 832
chemical ecology, 208
*Culicoides*, 208
iridoid, 832
midge, 208
*Nepeta cataria*, 832
nepetalactone, 832
semiochemical, 208
reptile,
*Amblyomma fimbriatum*, 926
*Francisella*, 926
*Rickettsia*, 926
tick, 926
Reunion Island,
*Aedes aegypti*, 1541
*Aedes albopictus*, 1541
distribution, 1541
review,
cat flea, 723
*Ctenocephalides felis*, 723
*Rickettsia felis*, 723
*Rhipicephalus appendiculatus*,
real-time quantitative polymerase chain reaction, 888
strain-specific vector competence, 888
*Theileria parva*, 888
tick-borne pathogen, 888
*Rhipicephalus* (*Boophilus*) *annulatus*,
*Hyalomma excavatum*
Metarhizium anisopliae, 531
*Rhipicephalus sanguineus*, 531
*Rhipicephalus* (*Boophilus*) *annulatus*, 531
tick eggs, 531
*Rhipicephalus* (*Boophilus*) *microplus*, 93, 284, 942
*Amblyomma variegatum*, 942
*Beauveria bassiana*, 284
control, 93
coumaphos, 93
*Dermatophilus congolensis*, 942
*Ehrlichia ruminantium*, 942
microbial control, 284
rainfall exposure, 93
*Rickettsia africae*, 942
*Rhipicephalus sanguineus*,
*Hyalomma excavatum*
Metarhizium anisopliae, 531
*Rhipicephalus* (*Boophilus*) *annulatus*, 531
tick eggs, 531
rhodamine B,
biomarker, 1131
feed-through, 1131
*Phlebotomus papatasi*, 1131
sand fly, 1131
*Rhodnius ecuadoriensis*,
Chagas disease, 708
Ecuador, 708
*Sciurus stramineus*, 708
*Rhodnius neglectus*,
Caatinga, 952
Cerrado, 952
genetic algorithm for rule-set production, 952
geographical distribution, 952
*Rhodnius prolixus*,
essential oils, 511
knockdown, 511
monoterpenes, 511
repellency, 511
Rhopalopsyllidae,
Ctenophthalmidae, 1146
fleas, 1146
Mammalia, 1146
Pulicidae, 1146
*Rickettsia*,
*Amblyomma fimbriatum*, 926
*Francisella*, 926
reptile, 926
tick, 926
*Rickettsia africae*,
*Amblyomma variegatum*, 942
*Dermatophilus congolensis*, 942
*Ehrlichia ruminantium*, 942
*Rhipicephalus (Boophilus) microplus*, 942
*Rickettsia felis*, 703, 723
*Archaeopsylla erinacei*, 703
cat flea, 723
*Ctenocephalides felis*, 723
*Erinaceus europaeus*, 703
Germany, 703
polymerase chain reaction, 703
review, 723
*Rickettsia raoultii*,
*Dermacentor marginatus*, 1490
*Rickettsia slovaca*, 1490
wild boars, 1490
*Rickettsia slovaca*,
*Dermacentor marginatus*, 1490
*Rickettsia raoultii*, 1490
wild boars, 1490
risk factors,
habitat, 1187
leishmaniasis, 1187
Morocco, 1187
sand flies, 1187
Rocky Mountain wood tick, 358, 475, 1436
16S mtDNA, 475
cattle, 358
*Dermacentor andersoni*, 358, 475, 1436
genetic variation, 475
immunity, 358, 1436
sheep, 1436
single-strand conformation polymorphism, 475
tick paralysis, 358, 1436
rRNA,
*Culicoides*, 1099
indel region, 1099
internal transcribed spacer, 1099
species identification, 1099

S

(*S*)-9-methylgermacrene-B,
(*S*)-9-methylgermacrene-B, 428
American visceral leishmaniasis, 428
sand flies, 428
vector control, 428
16S mtDNA,
*Dermacentor andersoni*, 475
genetic variation, 475
Rocky Mountain wood tick, 475
single-strand conformation polymorphism, 475
salivary glands,
*Ixodes*, 1458
Lyme disease, 1458
Salp15, 1458
ticks, 1458
Salp15,
*Ixodes*, 1458
Lyme disease, 1458
salivary glands, 1458
ticks, 1458
salt marsh,
mosquito production, 1392
open water marsh management, 1392
sampling,
mosquito abundance, 1256
mosquito aspirator, 1256
sand fly, 400, 428, 605, 649, 693, 1052, 1131, 1187
abundance, 400
American visceral leishmaniasis, 428
biomarker, 1131
cysteine peptidase, 605
detection, 649
feed-through, 1131
habitat, 1187
Iraq, 649
*Leishmania*, 605, 649, 693
leishmaniasis, 1187
*Lutzomyia shannoni*, 1052
*Lutzomyia vexator*, 1052
Morocco, 1187
organophosphate, 693
*Phlebotomus*, 693
Phlebotomus papatasi, 400, 1131

*Phlebotomus*, 605
polymerase chain reaction, 649
pyrethroid, 693
rhodamine B, 1131
risk factors, 1187
(*S*)-9-methylgermacrene-B, 428
spatial distribution, 400
vector control, 428
zoonotic cutaneous leishmaniasis, 400
*Sarcophaga kiyokoae*,
flesh fly, 986
new species, 986
*Sarcophaga nanensis*, 986
Thailand, 986
*Sarcophaga nanensis*,
flesh fly, 986
new species, 986
*Sarcophaga kiyokoae*, 986
Thailand, 986
scabies,
cytokine, 845
fibroblasts, 845
immunomodulation, 845
keratinocytes, 845
scanning electron microscopy,
Aedini, 980
Culicidae, 980
egg, 980
*Ochlerotatus albifasciatus*, 980
schools,
Bla g 1, 420
cockroach allergen, 420
cockroaches, 420
integrated pest management, 420
*Sciurus stramineus*,
Chagas disease, 708
Ecuador, 708
*Rhodnius ecuadoriensis*, 708
screening test,
abundance, 1269
*Culex modestus*, 1269
ponds, 1269
prevalence, 1269
seasonal distribution,
*Culex tarsalis*, 1474
Culicidae, 1474
mosquito, 1474
sentinel chicken, 1474
seasonal risk,
Colorado, 1519
*Culex pipiens*, 1519
*Culex tarsalis*, 1519
West Nile virus, 1519
seasonal variations,
dispersal, 994
geometric morphometry, 994
size, 994
*Triatoma infestans*, 994
semiochemicals, 208, 900, 1320
chemical ecology, 208
*Culicoides*, 208
*Hematobia irritans*, 1320
horn fly, 1320
host, 1320
midge, 208
mosquitoes, 900
olfactometer, 1320
repellent, 208
surveillance, 900
traps, 900
vertical distribution, 900
sentinel chicken,
*Culex tarsalis*, 1474
Culicidae, 1474
mosquito, 1474
seasonal distribution, 1474
sequencing,
*Amblyomma americanum*, 1468
*Ehrlichia chaffeensis* strains, 1468
nested polymerase chain reaction (PCR), 1468
variable-length PCR target, 1468
sex determination, 169, 175
comparative genomics, 175
genome sequencing, 175
insect immunity, 175
Insecta, 169
insecticide resistance, 175
linkage analysis, 169
M factor, 169
sex-lethal,
*Cochliomyia hominivorax*, 1109
expressed sequence tags, 1109
gene ontology terms, 1109
454 pyrosequencing, 1109
sexual maturation,
Chagas disease, 789
mate guarding, 789
mating behavior, 789
polyandry, 789
sheep, 615, 1436
attack rate, 615
blue tongue, 615
*Culicoides*, 615
*Dermacentor andersoni*, 1436
immunity, 1436
Rocky Mountain wood tick, 1436
Spain, 615
tick paralysis, 1436
*Simulium*,
black fly, 1537
mechanical transmission, 1537
vesicular stomatitis virus, 1537
Singhbhum hills,
*Anopheles fluviatilis*, 1045
*Anopheles minimus*, 1045
host feeding, 1045
India, 1045
single-strand conformation polymorphism, 475, 482
16S mtDNA, 475
*Amblyomma maculatum*, 482
*Dermacentor andersoni*, 475
genetic variation, 475
Gulf Coast tick, 482
mitochondrial 16s rDNA, 482
population genetics, 482
Rocky Mountain wood tick, 475
Siphonaptera,
climate, 588
enzootic plague reservoir, 588
size,
dispersal, 994
geometric morphometry, 994
seasonal variations, 994
*Triatoma infestans*, 994
SNaPshot,
insecticide resistance, 77
*Pediculus capitis*, 77
phenothrin, 77
sodium channel, 77
sodium channel,
insecticide resistance, 77
*Pediculus capitis*, 77
phenothrin, 77
SNaPshot, 77
south India,
*Culex gelidus*, 633
*Culex tritaeniorhynchus*, 633
Japanese encephalitis, 633
Kurnool, 633
Spain,
attack rate, 615
blue tongue, 615
*Culicoides*, 615
sheep, 615
spatial distribution,
abundance, 400
*Phlebotomus papatasi*, 400
sand fly, 400
zoonotic cutaneous leishmaniasis, 400
species distribution,
central Tunisia, 1
Phlebotominae, 1
species identification,
*Culicoides*, 1099
indel region, 1099
internal transcribed spacer, 1099
rRNA, 1099
Spelaeorhynchidae,
bat, 712
ectoparasite, 712
northeast Brazil, 712
Spinturnicidae, 712

spherocrystals,
blood digestion, 435
perimicrovillar membranes, 435
Triatominae, 435
spider venoms,
complement system, 58
*Ctenus medius*, 58
*Phoneutria nigriventer*, 58
proinflammatory activities, 58
Spinturnicidae,
bat, 712
ectoparasite, 712
northeast Brazil, 712
Spelaeorhynchidae, 712
spotted fever group rickettsiae,
Anaplasmataceae, 856
Panama, 856
ticks, 856
St. Croix,
*Amblyomma variegatum*, 1483
ectoparasites, 1483
wildlife, 1483
St. Louis encephalitis virus,
amplification, 1498
arboviruses, 1498
epidemics, 1498
winter freeze, 1498
stable flies,
environmental conditions, 1310
fecal colifoms, 1310
hay feeding sites, 1310
statistical analysis,
arbovirus, 1494
mosquitoes, 1494
surveillance, 1494
Texas, 1494
stereoscopic image analysis,
*Anopheles gambiae*, 227
mate recognition, 227
swarm, 227
three-dimensional localization, 227
sterile insect technique,
*Aedes aegypti*, 1117
*Aedes albopictus*, 1117
dispersal, 1117
survival, 1117
Stone Lakes virus,
California, 1203
cliff swallows, 1203
house sparrows, 1203
swallow bugs, 1203
strain-specific vector competence,
real-time quantitative polymerase chain reaction, 888
*Rhipicephalus appendiculatus*, 888
*Theileria parva*, 888
tick-borne pathogen, 888
sublethal effects of insecticide,
barrier, 292
contact irritant, 292
excitation, 292
insect behavior, 292
sugar feeding,
mating performance, 1327
mosquito, 1327
population projection matrix, 1327
suppression subtraction hybridization,
*Aedes aegypti*, 490
gene expression, 490
heat shock, 490
surveillance, 900, 934, 1494, 1507
*Aedes albopictus*, 1507
*Aedes triseriatus*, 1507
arbovirus, 1494
Culex flavivirus, 934
Flavivirus, 934
insect, 934
mosquitoes, 900, 934, 1494
*Orthopodomyia signifera*, 1507
semiochemicals, 900
statistical analysis, 1494
Texas, 1494
traps, 900, 1507
vertical distribution, 900
survival, 42, 1117
*Aedes aegypti*, 1117
*Aedes albopictus*, 1117
dispersal, 1117
leishmaniasis, 42
mark-release-recapture, 42
*Nyssomyia neivai*, 42
population size, 42
sterile insect technique, 1117
swallow bug, 375, 391, 1203
Buggy Creek virus, 375, 391
California, 1203
cliff swallow, 375, 391, 1203
house sparrows, 1203
*Oeciacus vicarius*, 391
*Petrochelidon pyrrhonota*, 375, 391
Stone Lakes virus, 1203
vertical transmission, 375
swarm,
*Anopheles gambiae*, 227
mate recognition, 227
stereoscopic image analysis, 227
three-dimensional localization, 227
synanthropic flies,
*Campylobacter jejuni*, 1164
*Musca domestica*, 1164
pathogenic bacteria, 1164
pathogenic fungi, 1164
Syringophilidae,
Acari, 183
Passeriformes, 183
quill mites, 183
*Torotrogla*, 183

## T

*Tachinaephagus zealandicus*,
biological control, 1210
forensic entomology, 1210
*Nasonia vitripennis*, 1210
parasitoids, 1210
*Tapinoma*,
ants, 895
fungi, 895
hospital environment, 895
*Pheidole*, 895
taxonomy, 403, 753
Acari, 753
chiggers, 753
Culicidae, 403
ITS2 sequence, 403
Madagascar, 403
*Neomelaniconion*, 403
Nepal, 753
parasites, 753
temephos,
*Aedes aegypti*, 1176
dengue transmission risk, 1176
pupal survey, 1176
vector control, 1176
temperature,
*Ixodes scapularis*, 1025
precipitation, 1025
prediction, 1025
Texas,
arbovirus, 1494
mosquitoes, 1494
statistical analysis, 1494
surveillance, 1494
Thailand,
flesh fly, 986
new species, 986
*Sarcophaga kiyokoae*, 986
*Sarcophaga nanensis*, 986
*Theileria parva*,
real-time quantitative polymerase chain reaction, 888
*Rhipicephalus appendiculatus*, 888
strain-specific vector competence, 888
tick-borne pathogen, 888
three-dimensional localization,
*Anopheles gambiae*, 227
mate recognition, 227
stereoscopic image analysis, 227
swarm, 227

three-dimensional reconstruction,
digestive system, 165
morphology, 165
*Periplaneta americana*, 165
thrombostasin,
blood uptake, 351
fly gender, 351
horn fly, 351
rabbit, 351
tick, 856, 926, 1303, 1458
*Amblyomma cajennense*, 1303
*Amblyomma fimbriatum*, 926
Anaplasmataceae, 856
Brazil, 1303
diapause, 1303
*Francisella*, 926
*Ixodes*, 1458
Ixodidae, 1303
Lyme disease, 1458
Panama, 856
reptile, 926
*Rickettsia*, 926
salivary glands, 1458
Salp15, 1458
spotted fever group rickettsiae, 856
tick control,
chaparral, 1138
*Dermacentor occidentalis*, 1138
fire ecology, 1138
*Ixodes pacificus*, 1138
tick eggs,
*Hyalomma excavatum*
Metarhizium anisopliae, 531
*Rhipicephalus (Boophilus) annulatus*, 531
*Rhipicephalus sanguineus*, 531
tick elimination,
*Amblyomma americanum*, 1240
lone star tick, 1240
tick-borne disease, 1240
tick paralysis, 358, 1436
cattle, 358
*Dermacentor andersoni*, 358, 1436
immunity, 358, 1436
Rocky Mountain wood tick, 358, 1436
sheep, 1436
tick repellents,
essential oil, 1415
ethnobotany, 1415
*Ixodes ricinus*, 1415
medicinal plants, 1415
tick-borne disease,
*Amblyomma americanum*, 1240
lone star tick, 1240
tick elimination, 1240
tick-borne pathogen,
real-time quantitative polymerase chain reaction, 888
*Rhipicephalus appendiculatus*, 888
strain-specific vector competence, 888
*Theileria parva*, 888
tick–host interactions,
California, 115
*Dermacentor*, 115
host preference, 115
*Ixodes*, 115
tick–host interactions, 115
*Torotrogla*,
Acari, 183
Passeriformes, 183
quill mites, 183
Syringophilidae, 183
transect,
*Culex pipiens* complex, 236
*Culex quinquefasciatus*, 236
hybridization, 236
microsatellites, 236
transition matrix,
carrying capacity, 21
*Dermatophagoides pteronyssinus*, 21
dust mites, 21
population dynamics, 21
transmission,
chiggers, 1442
*Leptotrombidium chiangraiensis*, 1442
*Leptotrombidium imphalum*, 1442
*Orientia tsutsugamushi*, 1442
transovarial transmission,
*Anaplasma*, 625
*Francisella*-like, 625
Ixodid tick, 625
traps, 900, 1001, 1507
*Aedes aegypti*, 1001
*Aedes albopictus*, 1507
*Aedes triseriatus*, 1507
dengue, 1001
meteorological variables, 1001
mosquitoes, 900
*Orthopodomyia signifera*, 1507
population dynamics, 1001
semiochemicals, 900
surveillance, 900, 1507
vertical distribution, 900
*Triatoma infestans*, 796, 994, 1195
Chagas disease, 1195
*cytochrome oxidase I*, 796
dispersal, 994
geometric morphometry, 994
parrots, 1195
population admixture, 796
population expansion, 796
population structure, 796
reinfestation, 1195
seasonal variations, 994
size, 994
vector control, 1195
Triatominae, 435, 1021
blood digestion, 435
Chagas disease, 1021
dispersal polymorphism, 1021
flight muscle development, 1021
perimicrovillar membranes, 435
spherocrystals, 435
Triatomine,
$CO_2$, 1062
Hemiptera, 1062
kissing bug, 1062
olfactometer, 1062
Trinidad trap,
alphavirus, 862
*Culex (Melanoconion) erraticus*, 862
eastern equine encephalomyelitis, 862
mosquito, 862
trophic cascades,
*Anopheles gambiae*, 460
diversity, 460
Kenya, 460
malaria, 460
*Trypanosoma brucei brucei*,
*Glossina*, 1446
nutritional stress, 1446
trypanosome maturation, 1446
tsetse fly, 1446
trypanosome maturation,
*Glossina*, 1446
nutritional stress, 1446
*Trypanosoma brucei brucei*, 1446
tsetse fly, 1446
tsetse fly,
*Glossina*, 1446
nutritional stress, 1446
*Trypanosoma brucei brucei*, 1446
trypanosome maturation, 1446

V

variable-length PCR target,
*Amblyomma americanum*, 1468
*Ehrlichia chaffeensis* strains, 1468
nested polymerase chain reaction (PCR), 1468
sequencing, 1468
vector,
early-phase transmission, 737
flea, 737
plague, 737
*Yersinia pestis*, 737
vector borne disease,
enclosure experiments, 1037
mosquitoes, 1037
predation, 1037

predator effects, 1037
vector competence,
arbovirus, 395
blood feeding, 395
vectorial capacity, 395
viremia, 395
vector control, 428, 1176, 1195
(*S*)-9-methylgermacrene-B, 428
*Aedes aegypti*, 1176
American visceral leishmaniasis, 428
Chagas disease, 1195
dengue transmission risk, 1176
parrots, 1195
pupal survey, 1176
reinfestation, 1195
sand flies, 428
temephos, 1176
*Triatoma infestans*, 1195
vector potential,
alimentary canal, 123
bacteria, 123
*Musca domestica*, 123
peritrophic matrix, 123
vector survival,
ecological meta-analysis, 873
lymphatic filariasis, 873
*Wuchereria bancrofti*, 873
vector-borne disease,
assortative mating, 471
genetic structure, 471
host-associated divergence, 471
vectorial capacity,
arbovirus, 395
blood feeding, 395
vector competence, 395
viremia, 395
vertical barrier,
insecticide-impregnated nets, 820
leishmaniasis, 820
Phlebotomine sand flies, 820
vertical distribution,
mosquitoes, 900
semiochemicals, 900
surveillance, 900
traps, 900
vertical transmission,
Buggy Creek virus, 375
cliff swallow, 375
*Petrochelidon pyrrhonota*, 375
swallow bug, 375
vesicular stomatitis virus, 866, 965, 1537
black fly, 866, 1537
leishmaniasis, 965
mechanical transmission, 1537
pathogenesis, 866
phlebotomine, 965
*Simulium*, 1537
viremia,
arbovirus, 395
blood feeding, 395
vector competence, 395
vectorial capacity, 395
virus dispersal,
*Aedes aegypti*, 909
*Aedes* Densonucleosis virus, 909
population cages, 909
virus propagation, 909
virus exposure experiments,
blow fly, 852
*Calliphora nigribarbis*, 852
highly pathogenic H5N1 avian influenza, 852
mechanical transmission, 852
virus propagation,
*Aedes aegypti*, 909
*Aedes* Densonucleosis virus, 909
population cages, 909
virus dispersal, 909
voltage-gated sodium channel (*vgsc*) gene,
*Anopheles* Hyrcanus Group, 1084
internal transcribed spacer 2, 1084
Iran, 1084
*Plasmodium* infection, 1084
voltage-gated sodium channel (*vgsc*) gene, 1084

W

water quality,
environmental grain, 220
habitat choice, 220
multilevel analysis, 220
West Nile virus, 220
waterfowl,
*Borrelia burgdorferi*, 131
*Borrelia lonestari*, 131
Lyme disease, 131
wild turkeys, 131
West Nile virus, 139, 220, 321, 380, 1220, 1282, 1290, 1519
*Aedes*, 1290
*Aedes* (*Finlaya*) *japonicus japonicus*, 1282
American robin, 380
Asian tiger mosquito, 1220
blood-feeding behavior, 380
Colorado, 1519
*Culex*, 321, 1290
*Culex pipiens*, 1519
*Culex quinquefasciatus*, 139
*Culex tarsalis*, 139, 380, 1519
dispersal, 1290
distribution, 1220
DNA barcode, 1282
environmental grain, 220
epidemiology, 139
forage ratio, 380
geographical information system, 1220
habitat choice, 220
insecticide resistance, 321
invasion biology, 1220
Iowa, 1282
La Crosse virus, 1282
multilevel analysis, 220
*Ochlerotatus*, 1290
seasonal risk, 1519
water quality, 220
western equine encephalomyelitis virus, 139
western equine encephalomyelitis virus,
*Culex quinquefasciatus*, 139
*Culex tarsalis*, 139
epidemiology, 139
West Nile virus, 139
*Whartonacarus floridensis* sp. nov.,
*Amblyomma variegatum*, 1260
cattle egret, 1260
chiggers, 1260
*Longisetacarus* gen. nov., 1260
white-tailed deer,
*Amblyomma americanum*, 1030
lone star tick, 1030
prescribed fire, 1030
wild boars,
*Dermacentor marginatus*, 1490
*Rickettsia raoultii*, 1490
*Rickettsia slovaca*, 1490
wild turkeys,
*Borrelia burgdorferi*, 131
*Borrelia lonestari*, 131
Lyme disease, 131
waterfowl, 131
wildlife,
*Amblyomma variegatum*, 1483
ectoparasites, 1483
St. Croix, 1483
winter freeze,
amplification, 1498
arboviruses, 1498
epidemics, 1498
St. Louis encephalitis virus, 1498
*Wuchereria bancrofti*, 158, 873
*Brugia malayi*, 158
detection, 158
ecological meta-analysis, 873
lymphatic filariasis, 873
mosquitoes, 158
real-time fluorescence resonance energy transfer multiplex

polymerase chain reaction, 158
vector survival, 873

X

*Xenopsylla cheopis*,
paratransgenesis, 1532
plague transmission, 1532

Y

yellow fever,
*Aedes aegypti*, 1450
*Aedes albopictus*, 1450
Atlantic Forest, 1450
*Haemagogus leucocelaenus*, 1450
*Yersinia pestis*,
early-phase transmission, 737
flea, 737
plague, 737
vector, 737

Z

zoonotic cutaneous leishmaniasis,
abundance, 400
*Phlebotomus papatasi*, 400
sand fly, 400
spatial distribution, 400